SAF-B03-015 Remaining Sites Confirmation Sampling-Soil FINAL VALIDATION PACKAGE

MAIL COMPLETE COPY OF VALIDATION PACKAGE TO:

Jeanette Duncan (2)

S & J J J S


SAF-B03-015

SDG (H 2776)

Sample Location/Waste Site:

100-F-12 French Drain at

105-F



Date:

16 November 2004

To:

Bechtel Hanford Inc. (technical representative)

From:

TechLaw, Inc.

Project:

Remaining Sites Confirmation Sampling - Soil - Waste Site 100-F-12

Subject:

Inorganic - Data Package No. H2776-LLI (SDG No. H2776)

INTRODUCTION

This memo presents the results of data validation on Data Package No. H2776 -LLI prepared by Lionville Laboratory Inc. (LLI). A list of samples validated along with the analyses reported and the method of analysis is provided in the following table.

| Sample ID | Sample Date | Media | Validation | Waste Site | Analysis |
|-----------|-------------|-------|------------|------------|------------|
| J01XV2 | 10/11/04 | Soil | С | 100-F-12 | See note 1 |
| J01XR3 | 10/11/04 | Soil | С | 100-F-12 | See note 1 |
| J01XR4 | 10/11/04 | Soil | С | 100-F-12 | See note 1 |
| J01XR5 | 10/11/04 | Soil | С | 100-F-12 | See note 1 |

^{1 -} ICP metals; mercury by 7471A.

Data validation was conducted in accordance with the Bechtel Hanford Incorporated (BHI) validation statement of work and Data Quality Objectives Summary Report for 100/300 Area Remaining Sites Analytical Sampling Effort, (BHI-01249, Rev. 3, March 2003). Appendices 1 through 6 provide the following information as indicated below:

- Appendix 1. Glossary of Data Reporting Qualifiers
- Appendix 2. Summary of Data Qualification
- Appendix 3. Qualified Data Summary and Annotated Laboratory Reports
- Appendix 4. Laboratory Narrative and Chain-of-Custody Documentation
- Appendix 5. Data Validation Supporting Documentation
- Appendix 6. Additional Documentation Requested by Client

DATA QUALITY PARAMETERS

Holding Times

Analytical holding times for metals are assessed to ascertain whether the holding time requirements were met by the laboratory. The holding time requirements are as follows: Soil samples must be analyzed within 28 days for mercury and 6 months for ICP metals.

All holding times were acceptable.

Preparation (Method) Blanks

Preparation Blanks

At least one preparation blank, consisting of deionized distilled water processed through each sample preparation and analysis procedure, must be prepared and analyzed with every sample delivery group. In the case of positive blank results, samples with digestate concentrations less than five times the preparation blank value have had their associated values qualified as non-detected and flagged "U". Samples with concentrations of greater than five times the highest blank concentration do not require qualification.

In the case of negative blank results, if the absolute value exceeds the contract required detection limit (CRDL), all nondetects are rejected and flagged "UR" and all detects that are less than ten times the absolute value of the associated preparation blank result are qualified as estimates and flagged "J". If the absolute value of the negative preparation blank is greater than the instrument detection limit (IDL) and less than or equal to the CRDL, all nondetects are qualified as estimates and flagged "UJ" and all detects less than ten times the absolute value of the blank are qualified as estimates and flagged "J". If the sample results are greater than ten times the absolute value of the preparation blank, no qualification is necessary.

Due to preparation blank contamination, the chromium result in sample J01XR5 was qualified as an estimate and flagged "J".

Due to preparation blank contamination, the boron result in samples J01XR3, J01XR4 and J01XR5 were qualified as estimates and flagged "J".

Due to preparation blank contamination, the molybdenum result in samples J01XV2, J01XR3 and J01XR5 were qualified as estimates and flagged "J".

All other preparation blank results were acceptable.

Field (Equipment) Blank

One equipment blank (J01XR5) was submitted for analysis. Aluminum, boron, barium, calcium, chromium, copper, iron, potassium, magnesium, manganese, molybdenum, sodium, nickel, lead, silicon and zinc were detected in the equipment blank. Under the BHI statement of work, no qualification is required.

Accuracy

Matrix Spike and Laboratory Control Sample

Matrix spike (MS) and laboratory control sample (LCS) analyses are used to assess the analytical accuracy of the reported data. The matrix spike is used to assess the effect of the matrix on the ability to accurately quantify sample concentrations. Recoveries must fall within the range of 70% to 130%. Samples with a recovery of less than 30% and a sample result below the IDL are rejected and flagged "UR". Samples with a recovery of 30% to 69% and a sample result less than the IDL are qualified "UJ". Samples with a recovery of greater than 130% or less than 70% and a sample result greater than the IDL are qualified as estimates and flagged "J". Finally, for samples with a recovery greater than 130% and a sample result less than the IDL, no qualification is required.

Due to an MS recovery outside QC limits (277%), all antimony results were qualified as estimates and flagged "J".

Due to an MS recovery outside QC limits (58%), all silicon results were qualified as estimates and flagged "J".

All other matrix spike recovery results were acceptable.

Precision

Laboratory Duplicate Samples

Analytical precision is expressed by the relative percent differences (RPD) between the recoveries of matrix spike duplicate (MSD) analyses performed on a sample in the analytical batch. Precision may alternatively be assessed using unspiked duplicate analyses performed on a sample in the analytical batch. If both sample and replicate activities (concentrations) are greater than five times the CRDL and the RPD is less than 30%, no qualification is required. If either activity (concentration) is less than five times the CRDL, the RPD control limit is less than or equal to two times the CRDL. If the RPD is outside the applicable control limit, associated results are qualified as estimated detects or estimated non-detects.

Due to an RPD outside QC limits (33%), all calcium results were qualified as estimates and flagged "J".

Due to an RPD outside QC limits (48%), all silicon results were qualified as estimates and flagged "J".

All other laboratory duplicate results were acceptable.

Field Duplicate

One set of field duplicates (J01XR3/J01XR4) was submitted for analysis. Field duplicates are compared using the same criteria as for laboratory duplicates. All field duplicate results were acceptable.

Analytical Detection Levels

Reported analytical detection levels are compared against the remaining waste sites RQLs to ensure that laboratory detection levels meet the required criteria. All reported results met the analyte specific RDL.

Completeness

Data package No. H2776-LLI was submitted for validation and verified for completeness. Completeness is based on the percentage of data determined to be valid (i.e., not rejected). The completion percentage was 100%.

MAJOR DEFICIENCIES

None found.

MINOR DEFICIENCIES

Due to preparation blank contamination, the chromium result in sample J01XR5 was qualified as an estimate and flagged "J". Due to preparation blank contamination, the boron result in samples J01XR3, J01XR4 and J01XR5 were qualified as estimates and flagged "J". Due to preparation blank contamination, the molybdenum result in samples J01XV2, J01XR3 and J01XR5 were qualified as estimates and flagged "J". Due to an MS recovery outside QC limits (277%), all antimony results were qualified as estimates and flagged "J". Due to an MS recovery outside QC limits (58%), all silicon results were qualified as estimates and flagged "J". Due to an RPD outside QC limits (33%), all calcium results were qualified as estimates and flagged "J". Due to an RPD outside QC limits (48%), all silicon results were qualified as estimates and flagged "J". Data flagged "J" indicates that the associated concentration is an estimate, but under the BHI statement of work, the data may be usable for decision-making purposes. All other validated results are considered accurate within the standard error associated with the methods.

REFERENCES

BHI, MRB-SBB-A23665, *Validation Statement of Work*, Bechtel Hanford Incorporated, September 5, 1997.

BHI-01249, Rev. 3, Data Quality Objectives Summary Report for 100/300 Area Remaining Sites Analytical Sampling Effort, Bechtel Hanford Incorporated, March 2003.

Glossary of Data Reporting Qualifiers

Qualifiers which may be applied by data validators in compliance with BHI validation SOW are as follows:

- Indicates the compound or analyte was analyzed for and not detected in the sample. The value reported is the sample quantitation limit corrected for sample dilution and moisture content by the laboratory.
- UJ Indicates the compound or analyte was analyzed for and not detected in the sample. Due to a minor QC deficiency identified during the data validation, the associated quantitation limit is an estimate.
- Indicates the compound or analyte was analyzed for and detected. Due to a minor QC deficiency identified during the data validation, the associated concentration is an estimate, but the data are usable for decision-making purposes.
- BJ Applied to inorganic analyses only. Indicates the analyte concentration was greater than the IDL but less than the CRDL and is considered an estimated value.
- R Indicates the compound or analyte was analyzed for, detected, and due to an identified major QC deficiency, the data are unusable.
- UR Indicates the compound or analyte was analyzed for and not detected in the sample. Additionally, the data is unusable due to an identified major QC deficiency.
- NJ Indicates presumptive evidence of a compound at an estimated value. The data may not be valid for some specific applications (i.e., usable for decision-making purposes).
- Indicates presumptive evidence of a compound. The data may not be valid for some specific applications (i.e., usable for decision-making purposes).

Summary of Data Qualification

INORGANIC DATA QUALIFICATION SUMMARY*

| SDG: H2776 | REVIEWER: | DATE: 11/16/04 | PAGE 1 OF 1 |
|---------------------|-----------|---------------------------|------------------------|
| COMMENTS: | | | |
| COMPOUND | QUALIFIER | SAMPLES AFFECTED | REASON |
| Boron | J | J01XR3, J01XR4, J01XR5 | Blank contamination |
| Chromium | J | J01XR5 | Blank contamination |
| Molybdenum | J | J01XV2, J01XR3, J01XR5 | Blank contamination |
| Silicon Antimony | J | All | MS recovery |
| Silicon Calcium | J | All | RPD |

^{* -} The Qualified Data Summary Table includes laboratory applied "U" qualifiers not specifically identified here. The laboratory applied "U" qualifiers are included to minimize misinterpretation of results contained in the table.

Qualified Data Summary and Annotated Laboratory Reports

| Project: BECHTEL | HANFOR | D | | | | | | - | | | |
|------------------|----------|----------|----------|----------|-----|-----------|-----|----------|----|--|---|
| Laboratory: LLI | | | | | | | | | | | |
| Case" | SDG: H2 | 776 | | | | | | | | | |
| Sample Number | | J01XV2 | | J01XR3 | | 301RX4 | | J01RX5 | | | |
| Remarks | | | | | | Duplicate | | E. Blank | | | |
| Sample Date | | 10/11/04 | | 10/11/04 | | 10/11/04 | | 10/11/04 | | | |
| Inorganics | RQL | Result | Q | Result | σ | Result | Q | Result | Q | Result | Q |
| Silver | 0.2 | 0.08 | U | 0.09 | U | 0.09 | U | 0.08 | U | | 1 |
| Aluminum | l | 4980 | | 6050 | | 6670 | | 41.8 | | | T |
| Arsenic | | 2.6 | | 2.5 | | 2.8 | | 0;34 | IJ | | |
| Boron | | 5.7 | | 0.95 | | 0.99 | J | 0.91 | J | | Ή |
| Barium | 20 | 100 | | 65.0 | 1 : | 68.7 | | 0.88 | 1. | | 1 |
| Beryllium | | 0.35 | | 0.41 | | 0.44 | | 0.009 | U | | 1 |
| Calcium | L | 13100 | J | 3320 | J | 3560 | J | 24.8 | J | 1 | 1 |
| Cadmium | 0,2 | 0.21 | | 0.06 | l | 0.11 | · · | 0,03 | Ü | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | |
| Cobalt | | 6.2 | | 6.7 | | 6.9 | | 0.08 | | T | 1 |
| Chromium | 1 | 9.2 | | 9.3 | | 10.5 | | 0.37 | J | | 1 |
| Copper | | 16.9 | | 12.3 | | 12.9 | | 0,07 | | | |
| iron | | 16200 | | 18700 | | 19700 | | 83.4 | | | |
| Mercury | 0.2 | 0,88 | | 0.02 | Ū | 0.02 | | 0,02 | U | | |
| Potassium | | 882 | <u> </u> | 1230 | į | 1320 | | 19.0 | | | T |
| Magnesium | | 3650 | Ĺ | 3690 | | 3930 | | 5,5 | | | |
| Manganese | | 250 | | 313 | | 318 | | 2.6 | | I | |
| Molybdenum | <u> </u> | 0,49 | J | 0.22 | J | 0.13 | U | 0.16 | J | | |
| Şodium | | 244 | | 114 | | 160 | | 8.9 | | l | |
| Nickel | | 10.0 | | 9.9 | | 11.2 | | 0.12 | | I | |
| Lead | 5 | 13.8 | | 4.5 | | 4,3 | | 0,22 | | | |
| Antimony | | 0,27 | | 0,29 | | 0.29 | | 0.28 | บป | | |
| Selenium | 1 | 0,35 | U | 0.37 | U | 0,38 | U | 0.37 | U | | |
| Silicon | | 343 | J | 302 | J | 329 | J | 36.2 | J | | |
| Vanadium | | 43,5 | | 43,7 | | 45.5 | | 0.06 | Ü. | | T |
| Zinc | | 49.0 | | 39.8 | 1 | 46.1 | | 3.7 | 1 | 1 | 1 |

INORGANICS DATA SUMMARY REPORT 10/26/04

CLIENT: TNU-HANFORD B03-015

H2776

LVL LOT #: 0410L868

WORK ORDER: 11343-606-001-9999-00

| | | | * | | REPORTING | DILUTION |
|--------|---|---|------------|-------|-----------|----------|
| SAMPLE | SITE ID | ANALYTE | RESULT | UNITS | LIMIT | PACTOR |
| | | ======================================= | . ======== | -x== | ##52235 | <u>-</u> |
| -001 | J01XV2 | Silver, Total | 0.08 u | MG/KG | 0.08 | 1.0 |
| | | Aluminum, Total | 4980 | mg/kg | 0.73 | 1.0 |
| | | Arsenic, Total | 2.6 | MG/KG | 0.32 | 1.0 |
| | | Boron, Total | 5.7 | MG/KG | 0.46 | 1.0 |
| | , " | Barium, Total | 100 | MG/KG | 0.02 | 1.0 |
| | | Beryllium, Total | 0.35 | MG/KG | 0.009 | 1.0 |
| | | Calcium, Total | 13100 | MG/KG | 0.62 | 1.0 |
| | | Cadmium, Total | 0.21 | MG/KG | 0.03 | 1.0 |
| | | Cobalt, Total | 6.2 | MG/KG | 0.07 | 1.0 |
| | | Chromium, Total | 9.2 | MG/KG | 0.05 | 1.0 |
| | | Copper, Total | 16.9 | MG/KG | 0.04 | 1.0 |
| | | Iron, Total | 16200 | MG/KG | 2.0 | 1.,0 |
| | A Commence of the Commence of | Mercury, Total | 0.88 | MG/KG | 0.02 | 1.0 |
| | | Potassium, Total | 882 | MG/KG | 3.1 | 1.0 |
| | , | Magnesium, Total | 3650 | MG/KG | 0.59 | 1.0 |
| | | Manganese, Total | 250 | MG/KG | 0.009 | 1.0 |
| | | Molybdenum, Total | 0.49 J | MG/KG | 0.12 | 1.0 |
| | • | Sodium, Total | 244 | MG/KG | 0.21 | 1.0 |
| | • | Nickel, Total | 10.0 | MG/KG | 0.11 | 1.0 |
| | | Lead, Total | 13.8 | MG/KG | 0.17 | 1.0 |
| | | Antimony, Total | 0.27 u≝ | MG/KG | 0.27 | 1.0 |
| | | Selenium, Total | 0.35 u | MG/KG | 0.35 | 1.0 |
| | | Silicon, Total | 343 J | MG/KG | 0.45 | 1.0 |
| | | Vanadium, Total | 43.5 | MG/KG | 0.05 | 1.0 |
| | · · | Zinc, Total | 49.0 | MG/KG | 0.04 | 1.0 |

11/16/04

INORGANICS DATA SUMMARY REPORT 10/26/04

CLIENT: TNU-HANFORD B03-015

LVL LOT #: 0410L868

WORK ORDER: 11343-606-001-9999-00

| | | | | | REPORTING | DILUTION |
|--------|---------------------------------------|---|--|--------|-----------|----------|
| SAMPLE | SITE ID | ANALYTE | RESULT | UNITS | LIMIT | FACTOR |
| | ************** | = ===================================== | ====== | ====== | #25232522 | ====== |
| -002 | J01XR3 | Silver, Total | 0.09 u | MG/KG | 0.09 | 1.0 |
| | | Aluminum, Total | 6050 | MG/KG | 0.77 | 1.0 |
| | · . | Arsenic, Total | 2.5 | MG/KG | 0.34 | 1.0 |
| | · · · · · · · · · · · · · · · · · · · | Boron, Total | 0.95 🏅 | MG/KG | 0.49 | 1.0 |
| | ** | Barium, Total | 65.0 | MG/KG | 0.02 | 1.0 |
| | | Beryllium, Total | 0.41 | MG/KG | 0.01 | 1.0 |
| | | Calcium, Total | 3320 🔟 | MG/KG | 0.66 | 1.0 |
| | | Cadmium, Total | 0.06 | MG/KG | 0.03 | 1.0 |
| | | Cobalt, Total | 6.7 | MG/KG | 0.08 | 1.0 |
| | | Chromium, Total | 9.3 | MG/KG | 0.06 | 1.0 |
| | | Copper, Total | 12.3 | MG/KG | 0.05 | 1.0 |
| | | Iron, Total | 18700 | MG/KG | 2.2 | 1.0 |
| | | Mercury, Total | 0.02 u | MG/KG | 0.02 | 1.0 |
| | | Potassium, Total | 1230 | MG/KG | 3.3 | 1.0 |
| | `. | Magnesium, Total | 3690 | MG/KG | 0.63 | 1.0 |
| | | Manganese, Total | 313 | MG/KG | 0.01 | 1.0 |
| | | Molybdenum, Total | 0.22 | MG/KG | 0.12 | 1.0 |
| | | Sodium, Total | 114 | MG/KG | 0.22 | 1.0 |
| | • | Nickel, Total | 9.9 | MG/KG | 0.11 | 1.0 |
| | • | Lead, Total | 4.5 | MG/KG | 0.18 | 1.0 |
| | | Antimony, Total | 0.29 ບໍ່ | MG/KG | 0.29 | 1.0 |
| | | Selenium, Total | and the same of th | MG/KG | 0.37 | 1.0 |
| | | Silicon, Total | 302 -1 | MG/KG | 0.48 | 1.0 |
| | | Vanadium, Total | 43.7 | MG/KG | 0.06 | . 1.0 |
| | | Zinc, Total | 39.8 | MG/KG | 0.04 | 1.0 |

Pr/104

INORGANICS DATA SUMMARY REPORT 10/26/04

CLIENT: TNU-HANFORD B03-015

LVL LOT #: 0410L868

WORK ORDER: 11343-606-001-9999-00

| | | , 1 | | | REPORTING | DILUTION |
|--------|-----------------------|-------------------|----------|-------|-----------|----------|
| SAMPLE | SITE ID | ANALYTE | RESULT | UNITS | LIMIT | FACTOR |
| ====== | | | ezz===== | ===== | | ======= |
| -003 | J01XR4 | Silver, Total | 0.09 u | MG/KG | 0.09 | 1.0 |
| | | Aluminum, Total | 6670 | MG/KG | 0.80 | 1.0 |
| i | | Arsenic, Total | 2.8 | MG/KG | 0.35 | 1.0 |
| | | Boron, Total | 0.99 🍒 | MG/KG | 0.50 | 1.0 |
| | | Barium, Total | 68.7 | MG/KG | 0.02 | 1.0 |
| | | Beryllium, Total | 0.44 | MG/KG | 0.01 | 1.0 |
| | | Calcium, Total | 3560 J | MG/KG | 0.68 | 1.0 |
| | | Cadmium, Total | 0.11 | MG/KG | 0.03 | 1.0 |
| | * - | Cobalt, Total | 6.9 | MG/KG | 0.08 | 1.0 |
| | | Chromium, Total | 10.5 | MG/KG | 0.06 | 1.0 |
| • | and the second second | Copper, Total | 12.9 | MG/KG | 0.05 | 1.0 |
| | | Iron, Total | 19700 | MG/KG | 2.2 | 1.0 |
| | • | Mercury, Total | 0.02 | MG/KG | 0.01 | 1.0 |
| | | Potassium, Total | 1320 | MG/KG | 3.4 | 1.0 |
| | | Magnesium, Total | 3930 | MG/KG | 0.65 | 1.0 |
| | | Manganese, Total | 318 | MG/KG | 0.01 | 1.0 |
| | | Molybdenum, Total | 0.13 uĴ | MG/KG | 0.13 | 1.0 |
| | 1 | Sodium, Total | 160 | MG/KG | 0.23 | 1.0 |
| | | Nickel, Total | 11.2 | MG/KG | 0.12 | 1.0 |
| | • | Lead, Total | 4.3 | MG/KG | 0.19 | 1.0 |
| | | Antimony, Total | 0.29 u J | MG/KG | 0.29 | 1.0 |
| | | Selenium, Total | 0.38 u | MG/KG | 0.38 | 1.0 |
| ÷ | x - + | Silicon, Total | 329 J | MG/KG | 0.49 | 1.0 |
| | | Vanadium, Total | 45.5 | MG/KG | 0.06 | 1.0 |
| | | Zinc. Total | 46.1 | MG/KG | 0.04 | 1.0 |

Milaloy

INORGANICS DATA SUMMARY REPORT 10/26/04

CLIENT: TNU-HANFORD B03-015

LVL LOT #: 0410L868

WORK ORDER: 11343-606-001-9999-00

| | | | | | REPORTING | DILUTION |
|--------|---------------|-------------------|-------------|-------|-----------|-----------|
| SAMPLE | SITE ID | - ANALYTE | RESULT | UNITS | LIMIT | FACTOR |
| | ************* | | | ===== | | . ======= |
| -004 | J01XR5 | Silver, Total | 0.08 u | MG/KG | 0.08 | 1.0 |
| | | Aluminum, Total | 41.8 | MG/KG | 0.76 | 1.0 |
| | | Arsenic, Total | 0.34 u | MG/KG | 0.34 | 1.0 |
| | | Boron, Total | 0.91] | MG/KG | 0.48 | 1.0 |
| | | Barium, Total | 0.88 | MG/KG | 0.02 | 1.0 |
| * . | | Beryllium, Total | 0.009u | MG/KG | 0.009 | 1.0 |
| | • | Calcium, Total | 24.8 | MG/KG | 0.65 | 1.0 |
| | | Cadmium, Total | 0.03 u | MG/KG | 0.03 | 1.0 |
| | | Cobalt, Total | 0.08 u | MG/KG | 0.08 | 1.0 |
| | | Chromium, Total | 0.37 🗓 | MG/KG | 0.06 | 1.0 |
| | | Copper, Total | 0.07 | MG/KG | 0.05 | 1.0 |
| | | Iron, Total | 83.4 | MG/KG | 2.2 | 1.0 |
| | | Mercury, Total | 0.02 u | MG/KG | 0.02 | 1.0 |
| | | Potassium, Total | 19.0 | MG/KG | 3.3 | 1.0 |
| | • | Magnesium, Total | 5.5 | MG/KG | 0.62 | 1.0 |
| | | Manganese, Total | 2.6 | MG/KG | 0.009 | 1.0 |
| | | Molybdenum, Total | C 31.0 | MG/KG | 0.12 | 1.0 |
| | | Sodium, Total | 8.9 | MG/KG | 0.22 | 1.0 |
| | . | Nickel, Total | 0.12 | MG/KG | 0.11 | 1.0 |
| | | Lead, Total | 0.22 | MG/KG | 0.18 | 1.0 |
| | • • | Antimony, Total | 0.28 u 🗐 | MG/KG | 0.28 | 1.0 |
| | | Selenium, Total | سِي 0.37 سِ | MG/KG | 0.37 | 1.0 |
| | | Silicon, Total | 36.2 | MG/KG | 0.47 | 1.0 |
| | | Vanadium, Total | 0.06 u | MG/KG | 0.06 | 1.0 |
| | | Zinc, Total | 3.7 | MG/KG | 0.04 | 1.0 |

p 1/14/04

Laboratory Narrative and Chain-of-Custody Documentation



Analytical Report

Client: TNU-HANFORD B03-015

LVL#: 0410L868

SDG/SAF#: H2776/B03-015

W.O.#: 11343-606-001-9999-00

Date Received: 10-13-04

METALS CASE NARRATIVE

1. This narrative covers the analyses of 4 soil samples.

- 2. The samples were prepared and analyzed in accordance with methods checked on the attached glossary.
- 3. All analyses were performed within the required holding times.
- 4. All results presented in this report are derived from samples that met LvLI's sample acceptance policy.
- 5. All Initial and Continuing Calibration Verifications (ICV/CCVs) were within the 90-110% control limits (80-120% for Mercury).
- 6. All Initial and Continuing Calibration Blanks (ICB/CCBs) were within control limits (less than the PQL).
- 7. The preparation/method blanks for 3 analytes were outside method criteria. {less than the Practical Quantitation Limit (3X the IDL), or samples greater than 20X MB value}. Refer to the Inorganics Method Blank Data Summary.
 - a). The MB results for Barium, Calcium, and Sodium were greater than the Practical Quantitation Limit (PQL) {3 x the (IDL) Instrument Detection Level} and sample J01XR5 read less than 20 times the MB concentration. However, no corrective action criteria for MBs were provided in SW846 method 6010B. The sample results were reported herein "uncorrected" for the levels found in the MB.
- 8 All ICP Interference Check Standards were within control limits.
- All laboratory control samples (LCS) were within the 80-120% control limits. Refer to the Inorganics Laboratory Control Standards Report.
- 10. The matrix spike (MS) recoveries for 6 analytes were outside the 75-125% control limits. Refer to the Inorganics Accuracy Report.

The results presented in this report relate only to the analytical testing and conditions of the samples at receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of 22 pages.

11. For analytes where the ICP MS is out-of-control, a post-digestion MS (PDS) and serial dilution are performed. A serial dilution is performed for Mercury. A PDS was prepared at meaningful concentration level for the following analytes:

| | | <u>PDS</u> | <u>PDS</u> |
|-----------|----------------|---------------------|------------|
| Sample ID | <u>Element</u> | Concentration (ppb) | % Recovery |
| J01XV2 | Aluminum | 20,000 | 103.7 |
| | Calcium | 20,000 | 124.3 |
| | Iron | 20,000 | 95.8 |
| | Antimony | 100 | 105.2 |
| | Silicon | 2000 | 93.0 |

- 12. The duplicate analyses for 4 analytes were outside the 20% Relative Percent Difference (RPD) control limits. Refer to the Inorganics Precision Report.
- 13. For the purposes of this report, the data has been reported to the Instrument Detection Limit (IDL). Values between the IDL and the Practical Quantitation Limit (PQL) are acquired in a region of less-certain quantification.
- 14. I certify that this sample data package is in compliance with SOW requirements, both technically and for completeness, other than the conditions detailed above. Release of the data contained in this hard-copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature.

Iain Daniels

Laboratory Manager

Lionville Laboratory Incorporated

jjw/m10-868

Date Date



| Bechtel Hanford | l Inc. | СН | AIN OF CUST | ODY/SA | MPLE | ANALY | SIS RE | QUEST | | B03- | 015-262 | Page 1 o | L 1 / |
|---|---------------------------------------|----------------|--|--|------------|--|----------------|--|--|-----------------------|---------------|--|---|
| ector tankovich/Rivera | | Compar | ny Contact ankovich | Telephone 531-76 | c No. | | Pro | Project Coordinator KESSNER, JH | | Price Code 813 | | Data Turnaround | |
| iect Designation emaining Sites Confirmation | Sampling-Soil | Sampli 100- | ng Location F-12 | | | | SAI B03 | F No. 1-015 | Ai | Air Quality 🗍 | | 15 00 | ays |
| Chest No. ERC O | 1 030 | | 1 | | | | | thod of Shinme ed Ex | ent | | CICIE | (0/11/0 | ays Y |
| nned To LVLI | nerly IMA) | Offsite | Property No. AC | <i>25</i> ව | 013 | | Bii | l of Lading/Ai | r Bill No. | 556 | - OSF | <u>`</u> | |
| ossible sample hazai | | | | ļ | | | | T | 1- ,-1+ 1 -120, 22 | 1 | <u> </u> | 1 | |
| | | | Preservation | | | | | | | | | | , |
| pecial Handling and/or S | tornge | | Type of Container | G/P | G/P | úG | aG | G | | | | | |
| ool 4c | | | No. of Container(s) | 1 | ļ ! . | 1 | ı | | • • | | | | |
| | | | Vélume | 250ml 250ml | 120ml. | 250mL | 250mL | 250mL | | | | | |
| 0000 | SAMPLE ANAL | ysis | | See item (1) in Special Instructions. | | PCBs - R0B2; Pesticides— 8001; Chlore— Harbioldes— EPASISI | PAHs - 8310 | | | | | | |
| Sample No. | Matrix * | Sample Date | Sample Time | | | (0/11/04 | | | Specific Spe | | | | |
|)1XV2 | SOIL | 10/11/04 | كنون بروروك كالمتابي والمتابية والمتابية والمتابية والمتابية والمتابية والمتابية والمتابية والمتابية | X | X | У | X | X | 11-11-11-11-11-11-11-11-11-11-11-11-11- | W19 77 12 13 ASSESSED | | 1988 May 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 | |
| | | | | | <u> </u> | · | | | | | - | | |
| | | | | | | | <u> </u> | | · · · · · · · · · · · · · · · · · · · | | | | |
| | | | | | | | <u> </u> | | | | 1 | - | 1 |
| | | | | | | | | | | | 1. | | |
| CHAIN OF POSSESSIO | ON | Sign/Pri | nt Names | | SPE | CIAL INSTI | RUCTION | S | | | | | Matrix * |
| elinquished By/Remoyed From Wris Rive a Wisking elinquished By/Remoyed From EFF 2B 3728 elinquished By/Remoyed Erom | Date/Time 101204 09 | Received By/St | t: 28 10/11/04 ored In EMDA 10 | Date/Time H 132 Date/Time /204 C Date/Time | Car Nic | lmium, Calcium. | Chromium, | 46) (Aluminum, / Cobalt, Copper, I licon, Silver, Sodi | ron, Lead, 1 | Magnesium, Ma | inganese, Mol | ybdenum. | S=Soil SE=Sediment SO=Soild St=Studge W = Water O=Oll A=Air |
| elinquished By/Renyoyed From STATE JULY Crinquished By/Removed From | 0/204 09 Date/Time 0-(3-04 1005 | Received By/S | DEX | Date/Time | 05 | Personnel not | and talet a co | | • | | er r | •• | DS=Drest Solids OL=Brean Liquis T=Tissue WI=Wipe L=Liquid |
| telinquished By/Removed From | Dute/Time | Received By/S | | Date/Time | | relinquish sam Rei # ZDon_ | ples from 3 | 3728 | | | - | | V≠Vegetution X=Other |
| Relinquished By/Removed From | Date/Time | Received By/S | itored In | Date/Time | | | | · · | | | | • | |
| LABORATORY Received SECTION | βу | | | | Title | | | | | | | Date/l'inte | • |
| | Method | | | | | Disp | osed By | | ···· | | | Date/Time | |
| DISPOSITION | | | | | | | | - | | • | | | |

| Bechtel Hanford diector Stankovich/Rivera | inc. | Compa | IAIN OF CUST IN Contact ankovich | Pro | OUEST lect Coordin SNER, JH | Ator Pr | B03-015-261 Price Code 8B | | Page 1 o | | | | | |
|--|--|--|---|---|---|--|---|--|--|--|--|--|---|--|
| olect Designation Remaining Sites Confirmation | | , 1 | Sampling Location 100-F-12 | | | | | | Ai | Air Quality | | 15 Da | 7 Days 15 Days | |
| e Chest No. ERC 01 | 030 | | Field Logbook No. COA EL 1578-3 C10F126700 | | | | | Method of Shipment CKR 10 Fed Ex | | | | 10/11/ | 04 | |
| hinned To LV L | | Offsite | Property No. AC | 050 | 013 | | Bil | of Lading/A | dr Bill No. | SEE | 059 | C | | |
| POSSIBLE SAMPLE HAZAF | UDS/REMARKS | | | | | | | | | | | | | |
| | * | * | Preservation | | | | | | | · | | | | |
| Special Handling and/or St | orage | | Type of Container | G/P | G/P | . G/P | aG | O | | | | | | |
| Cool 4c | | | No. of Container(s) | 17 | 1 | I [.] | · 1 | 1 | , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | |
| • | | | Volume | 1000 L | 250mL | 120mL | 250mL | 60mL | : | | , | - | | |
| 00001 | SAMPLE ANAL | .YSIS | 8 | See iten (1) i Special Instructions | n Sec item (2) in Special Instructions: | Chromium Hex - 7196 | PCBs - 8082; Pesticides 8081; Chicro Harbicides EPARISI (0/11/07 | VOA - 8260A (TCL) | | | | | | |
| Sample No. | Matrix * | Sample Date | Sample Time | 2/6 | 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | | 200 | | | | | |
| 01XR3 | SOIL | 10/11/04 | 1035 | X | X | X | X | DECEMBER OF STATE | 332- 38- 5 | 3 | A Address of the State of the | 10 (10 (10) (20) | 6 1 | |
| 01XR4 | SOIL | 10/11/04 | 1035 | K | \ <u> </u> | X | X | | | | | 1 | | |
| I01XR5 | SOIL | 10/11/04 | منتقن بإرباد المناب الناب وفسط الشارك فيسانه الأراث المناب الأراث | | × | | × | | | | 1 | | | |
| | | | | | | · | | | | | | | | |
| | | <u> </u> | | | | | | | | | | | | |
| CHAIN OF POSSESSIC |)N Daje/Tjine | Sign/Pri Received By/St | ut Names | Date/Time | SPE | CIAL INST | RUCTION | S | | | | | Matrix | |
| Chris Rivera JNRKN Telinquished By/Removed From REF 2 B 3728 Telinquished By/Removed From SIGNALE SHALL 10 | en 10/11/04 12 Date/Time 10/2 04 090 Date/Time 12 04 0900 | Received By/SI Received By/SI Received By/SI | ored In State 10/11 State 10/11 ored In ored In | JOY 1 Date/Time 204 6 Date/Time | Par Peel (2) Cad | pium-155 ;-G: el-63; Ismopie metium 99; Isc ICP Metals - 6 mium, Calcium | enuna Specer Plutonium (f Mopie Urantui 010TR (SW8), Chromium, | Add or (Americ Patendum-256; (IT (Oranlam-22) 46) (Aluminum Cobult, Copper, | tion 2413 A Actonium-23 7334, Uraniu Antimony, A Iron, Lead, I | 0, Europiam-15 mericiam-241; 9/240]; Brenia m. 235; Urania Arsenic, Barlum Magnesiam, Ma ium. Zinc]; Mer | Gross Alpha & m 89,00 T. 12381 A. A. Beryllium, B nganese, Mol | k Gross Beta; Mal Gr. - CONZOY oran, ybdenum, | S=Soli SE=Sedime SO-Solid SI=Sludge W = Water O=Oil A=Air DS=Drain (| |
| Relinquistical Ray/Bemoved From | Date/Time 13-04 1005 Date/Time | Received By/S | en 5 10- | Date/Time /3 -0 Y Date/Time | | ersonnel not | | | | | | • | T=Tiesee W1=Wipe L=Liquid V=Vegeta x=Other | |
| Relinquished By/Rengyed Front | Date/Time | Received By/S | tored III | Date/Time | R | elinquish sun ef # <mark>Z.B.</mark> on_ | nples from 3 10 / 12 / 6 | 7/28 7 4 | | | | • | | |
| LABORATORY Received I SECTION | Зу | | | | Title | - | | - | | - | | Date/Time | | |
| FINAL SAMPLE Disposal N DISPOSITION | Acthod | | | | | Dis | posed By | | | | | Date/Time | | |
| | | | | | | | | | | | | | | |

Data Validation Supporting Documentation

| ALIDATION LEVEL: | Α | В | (C) | D | E | |
|---------------------------------------|-------------|------------|---------------------------------------|-------------|---------------------------------------|--------------------|
| PROJECT: No | ως ίσο. | -F-13 | DATA PACKAG | E: H2776 | , | |
| VALIDATOR: | TLI | LAB: LL | I. | DATE: [] (2 | 104 | |
| | | | SDG: | 142776 | | |
| | | ANALYSES I | PERFORMED | | | : |
| SW-846/ICP | SW-846/GFAA | SW-846/Hg | SW-846 Cyanide | | | |
| | | _ | | | | |
| SAMPLES/MATE | UX | | | | | • |
| JOIXI | OF 50 | IXR3 | JOIXR4 | JOIXR | <u> </u> | |
| | | | | 7 77.0 | 2 | |
| | | | · · · · · · · · · · · · · · · · · · · | | · | • |
| | | | | | | |
| | | | | | | |
| | | <u> </u> | | | Soil | |
| Technical verification | | resent? | | | Yes(No) | N/A |
| · · · · · · · · · · · · · · · · · · · | | | | <u> </u> | · | |
| | | | | | · · · · · · · · · · · · · · · · · · · | |
| 2. INSTRUM Initial calibrations pe | • | | BRATIONS (Leve | <u>-</u> | Vec No | NI/A |
| Initial calibrations ac | | | | | | |
| ICP interference che | | | | | · • | |
| ICV and CCV check | | | • | | 1 | |
| ICV and CCV check | | | | | 1 | |
| Standards traceable? | | | | | | |
| Standards expired? | , e | | | | Yes No | N/A, |
| Calculation check ac | | | | | | |
| Comments: | | <u> </u> | · | · · | | $\underline{\vee}$ |
| • | | | | | | |
| | | | | | | |

| 3. BLANKS (Levels B, C, D, and E) | | |
|---|---------------------------------------|-------------|
| ICB and CCB checks performed for all applicable analyses? (Levels D, E) | Yes No | (AMA) |
| ICB and CCB results acceptable? (Levels D, E) | Yes No | (N/A) |
| Laboratory blanks analyzed? | Yes No | N/A |
| Laboratory blank results acceptable? | | |
| Field blanks analyzed? (Levels C, D, E) | .(Ye No | N/A |
| Field blank results acceptable? (Levels C, D, E) | | |
| Transcription/calculation errors? (Levels D, E) | Yes No | N/A |
| Transcription/calculation errors? (Levels D, E) | · · · · · · · · · · · · · · · · · · · | |
| | | <u></u> |
| | | |
| FB. al, boron, barrom, Calaun, CR, Cu, Fe, K, Mayhos, | Manger | -25 |
| maly Na, victel, Pb, Silia, Zinc | | |
| | | |
| 4. ACCURACY (Levels C, D, and E) | | |
| MS/MSD samples analyzed? | (.Yes /No | |
| MS/MSD results acceptable? | Yes No | N/A |
| MS/MSD standards NIST traceable? (Levels D, E) | Yes No | (N/A) |
| MS/MSD standards expired? (Levels D, E) | | |
| LCS/BSS samples analyzed? | | N/A |
| LCS/BSS results acceptable? | Yes No | N/A |
| Standards traceable? (Levels D, E) | Yes No | (N/A) |
| Standards expired? (Levels D, E) | Yes No | WA |
| Transcription/calculation errors? (Levels D, E) | | |
| Performance audit sample(s) analyzed? | _ | |
| Performance audit sample results acceptable? | | \ J |
| Comments: MS Silver - J antimony - J | NO PA | 5 |
| | | |
| | · · · · · · · · · · · · · · · · · · · | · · · |
| | | ··· |
| | • . | |
| | <u> </u> | ******* |
| | | |
| | . | · · |

| 5. PRECISION (Levels C, D, and E) | |
|---|--------------|
| Duplicate RPD values acceptable? | |
| Duplicate results acceptable? | |
| MS/MSD standards NIST traceable? (Levels D, E) | Yes No N/A |
| MS/MSD standards expired? (Levels D, E) | Yes No N/A |
| Field duplicate RPD values acceptable? | Yes No TVA |
| Field split RPD values acceptable? | Yes No WA |
| Transcription/calculation errors? (Levels D, E) | Yes No (N/A) |
| Comments: Silian 48.4 J (48) Calciun - J (33) | |
| rs/ks-FK | |
| 183/R4 | |
| | |
| 6. ICP QUALITY CONTROL (Levels D and E) | ^ |
| ICP serial dilution samples analyzed? | Yes No NA |
| ICP serial dilution %D values acceptable? | Yes No N/A |
| ICP post digestion spike required? | Yes No N/A |
| ICP post digestion spike values acceptable? | |
| Standards traceable? | |
| Standards expired? | Yes No N/A |
| Transcription/calculation errors? | |
| Comments: | |
| | |
| | |
| | |

| 7. FURNACE AA QUALITY CONTROL (Levels D and E) | | \sim |
|--|-------|----------|
| Duplicate injections performed as required? | | |
| Duplicate injection %RSD values acceptable? | Yes | No N/A |
| Analytical spikes performed as required? | | |
| Analytical spike recoveries acceptable? | Yes | No N/A |
| Standards traceable? | Yes | No N/A |
| Standards expired? | Yes | No N/A |
| MSA performed as required? | Yes | No N/A |
| MSA results acceptable? | Yes | No N/A |
| Transcription/calculation errors? | Yes | No WA |
| Comments: | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| 8. HOLDING TIMES (all levels) | | • |
| Samples properly preserved? | | No N/A |
| Sample holding times acceptable? | (Ye | No N/A |
| Comments: | · · · | <u></u> |
| | | |
| | | |
| | | |
| | | |
| | | Marina . |
| | | |

| 9. | RESULT QUANTITATION AND DETECTION LIMITS (all levels) | | | • |
|--------|---|-------|-----|-----|
| Result | | (Yes) | | |
| Rresul | supported in the raw data? (Levels D, E) | Yes | No | |
| Sample | | | | MA |
| | n limits meet RDL? | Yes | No | N/A |
| Transc | ption/calculation errors? (Levels D, E) | Yes | No | WA. |
| Comm | nts: | | | |
| : . | | | · . | |
| | | | | |
| | | | | |
| | | | | - |
| | | | | |
| | · · · · · · · · · · · · · · · · · · · | | | |

Additional Documentation Requested by Client

INORGANICS METHOD BLANK DATA SUMMARY PAGE 10/26/04

CLIENT: TNU-HANFORD B03-015

LVL LOT #: 0410L868

| SAMPLE | SITE ID | ANALYTE | RESULT | UNITS | REPORTING LIMIT | DILUTION FACTOR |
|---------|-------------|---|--------|-------|---|--------------------|
| -===== | | = ===================================== | | | ======================================= | . 222222 |
| BLANK1 | 04L0644-MB1 | Silver, Total | 0.09 u | MG/KG | 0.09 | 1.0 |
| | • | Aluminum, Total | 2.1 | MG/KG | 0.81 | 1.0 |
| | | Arsenic, Total | 0.36 u | MG/KG | 0.36 | 1.0 |
| | | Boron, Total | 0.68 | MG/KG | 0.51 | 1.0 |
| | | Barium, Total | 0.06 | MG/KG | 0.02 | 1.0 |
| • | | Beryllium, Total | 0.01 u | MG/KG | 0.01 | 1.0 |
| | | Calcium, Total | 2.6 | MG/KG | 0.69 | 1.0 |
| | | Cadmium, Total | 0.03 u | MG/KG | 0.03 | 1.0 |
| | • | Cobalt, Total | 0.08 u | MG/KG | 0.08 | 1.0 |
| . ' | | Chromium, Total | 0.11 | MG/KG | 0.06 | 1.0 |
| | | Copper, Total | 0.05 u | MG/KG | 0.05 | 1.0 |
| | | Iron, Total | 2.3 u | MG/KG | 2.3 | 1.0 |
| | • | Potassium, Total | 3.5 u | MG/KG | 3,5 | 1.0 |
| | | Magnesium, Total | 0.93 | MG/KG | 0.66 | 1.0 |
| | | Manganese, Total | 0.02 | MG/KG | 0.01 | 1.0 |
| | | Molybdenum, Total | 0.16 | MG/KG | 0.13 | 1.0 |
| | | Sodium, Total | 1.5 | MG/KG | 0.23 | 1.0 |
| · . · | | Nickel, Total | 0.12 u | MG/KG | 0.12 | 1.0 |
| | | Lead, Total | 0.19 u | MG/KG | 0.19 | 1.0 |
| | | Antimony, Total | 0.30 u | MG/KG | 0.30 | 1.0 |
| v . | *• | Selenium, Total | 0.39 և | MG/KG | 0.39 | 1.0 |
| | • | Silicon, Total | 0.81 | MG/KG | 0.50 | 1.0 |
| • |) . | Vanadium, Total | 0.06 u | MG/KG | 0.06 | 1,0 |
| | | Zinc, Total | 0.08 | MG/KG | 0.04 | 1.0 |
| RI-ANK1 | 04C0234-MB1 | Mercury, Total | 0.02 u | MG/KG | 0.02 | 1.0 |

INORGANICS ACCURACY REPORT 10/26/04

CLIENT: TNU-HANFORD B03-015

LVL LOT #: 0410L868

| | | | SPIKED | INITIAL | SPIKED | | DILUTION |
|--------|----------------------|-------------------|--------|----------------|--------|---------|--------------|
| SAMPLE | SITE ID | ANALYTE | SAMPLE | result | AMOUNT | *RECOV | Factor (SPK) |
| | FC2==FE2#4F#D#C==### | | | ====== | ====== | ====== | |
| -001 | J01XV2 | Silver, Total | 4.5 | 0.0Bu | 4.9 | 91.8 | 1.0 |
| | | Aluminum, Total | 5900 | 4980 | 196 | 469.8* | 1.0 |
| | | Arsenic, Total | 179 | 2.6 | 196 | 90.1 | 1.0 |
| | | Boron, Total | 91.8 | 5.7 | 97.9 | 87.9 | 1.0 |
| | | Barium, Total | 279 | 100 | 196 | 91.4 | 1.0 |
| | | Beryllium, Total | 5.0 | 0.35 | 4.9 | 94.9 | 1.0 |
| | • | Calcium, Total | 10400 | 13100 | 2450 | -110. * | 1.0 |
| | | Cadmium, Total | 4.7 | 0.21 | 4.9 | 91.7 | 1.0 |
| | | Cobalt, Total | 52.1 | 6.2 | 48.9 | 93.9 | 1.0 |
| | • | Chromium, Total | 28.0 | 9.2 | 19.6 | 95.9 | 1.0 |
| | | Copper, Total | 41.1 | 16.9 | 24.5 | 98.8 | 1.0 |
| • | | Iron, Total | 17600 | 16200 | 97.9 | 1412 * | 1.0 |
| | • | Mercury, Total | 0.97 | 0.88 | 0.16 | 59.0* | 1.0 |
| | | Potassium, Total | 3240 | 832 | 2450 | 96.5 | 1.0 |
| | | Magnesium, Total | 6070 | 3650 | 2450 | 99.1 | 1.0 |
| | | Manganese, Total | 305 | 250 | 48.9 | 112.3* | 1.0 |
| | | Molybdenum, Total | 91.9 | 0.49 | 97.9 | 93.4 | 1.0 |
| | | Sodium, Total | 2560 | 244 | 2450 | 94.8 | 1.0 |
| | | Nickel, Total | 55.9 | 10.0 | 48.9 | 93.9 | 1.0 |
| | • • | Lead, Total | 64.4 | 13.8 | 48.9 | 103.5 | 1.0 |
| | | Antimony, Total | 28.6 | 0.27u | 48.9 | 58.5 | 1.0 |
| | | Selenium, Total | 173 | 0.35u | 196 | 88.6 | 1.0 |
| | | Silicon, Total | 405 | 343 | 97.9 | 64.0 | 1.0 |
| | | Vanadium, Total | 89.2 | 43.5 | 48.9 | 93.5 | 1.0 |
| | • | Zinc, Total | 102 | 49.0 | 48.9 | 107.8 | 1.0 |

INORGANICS PRECISION REPORT 10/26/04

CLIENT: TNU-HANFORD B03-015

LVL LOT #: 0410L868

| | | | INITIAL | | | | DILUTION |
|-----------------|---|-------------------|---------|-----------|------|---|--------------|
| SAMPLE | SITE ID | ANALYTE | RESULT | REPLICATE | RPD | | FACTOR (REP) |
| == == == | ======================================= | *=========== | | ======= | | | |
| -001REP | J01XV2 | Silver, Total | 0.08u | 0.09u | NC | • | 1.0 |
| | • | Aluminum, Total | 4980 | 5440 | 8.9 | | 1.0 |
| | | Arsenic, Total | 2.6 | 2.4 | 8.0 | • | 1.0 |
| | | Boron, Total | 5.7 | 3.6 | 45.2 | | 1.0 |
| | | Barium; Total | 100 | 92.4 | 8-1 | | 1.0 |
| • | | Beryllium, Total | 0.35 | 0.38 | 9.4 | | 1.0 |
| | | Calcium, Total | 13100 | 9320 | 33.6 | | 1.0 |
| | | Cadmium, Total | 0.21 | 0.22 | 5.3 | | 1.0 |
| | | Cobalt, Total | 6.2 | 6.0 | 3.3 | | 1.0 |
| | | Chromium, Total | 9.2 | 10.6 | 14.1 | | 1.0 |
| . • | | Copper, Total | 16.9 | 15.9 | 6.1 | | 1.0 |
| 1.5 | | Iron, Total | 16200 | 16700 | 3.2 | • | 1.0 |
| | • | Mercury, Total | 0.88 | 0.96 | 7.9 | | 1.0 |
| | • | Potassium, Total | 882 | 985 | 11.0 | • | 1.0 |
| | | Magnesium, Total | 3650 | 3470 | 4.9 | | 1.0 |
| | | Manganese, Total | 250 | 253 | 1.2 | | 1.0 |
| | | Molybdenum, Total | 0.49 | 0.24 | 66.7 | | 1.0 |
| • | *) | Sodium, Total | 244 | 214 | 13.4 | | 1.0 |
| | , , , , , , , , , , , , , , , , , , , | Nickel, Total | 10.0 | 9.9 | 1.0 | | 1.0 |
| | | Lead, Total | 13.8 | 13.6 | 1.5 | | 1.0 |
| | | Antimony, Total | 0.27u | 0.30u | NC | | 1.0 |
| | | Selenium, Total | 0.35u | 0.40u | NC | | 1.0 |
| | | Silicon, Total | 343 | 209 | 48.4 | | 1.0 |
| | | Vanadium, Total | 43.5 | 43.8 | 0.69 | | 1.0 |
| ÷ | | Zinc, Total | 49.0 | 52.4 | 6.7 | | 1.0 |

INORGANICS LABORATORY CONTROL STANDARDS REPORT 10/26/04

CLIENT: TNU-HANFORD E03-015

LVL LOT #: 0410L868

| | \$ | | SPIKED | SPIKED | | |
|--------|-------------|---|--------|--------|-------|--------|
| SAMPLE | SITE ID | ANALYTE | SAMPLE | AMOUNT | UNITS | %RECOV |
| | | =23=4================================== | 2===== | ===== | ===== | ===== |
| LCS1 | 04L0644-LC1 | Silver, LCS | 48.8 | 50.0 | MG/KG | 97.6 |
| | | Aluminum, LCS | 499 | 500 | MG/KG | 99.7 |
| | | Arsenic, LCS | 943 | 1000 | MG/KG | 94.3 |
| | • | Boron, LCS | 480 | 500 | MG/KG | 95.9 |
| | • | Barium, LCS | 497 | 500 | MG/KG | 99.5 |
| | | Beryllium, LCS | 24.6 | 25.0 | MG/KG | 98.4 |
| | | Calcium, LCS | 2490 | 2500 | MG/KG | 99.5 |
| | | Cadmium, LCS | 24.4 | 25.0 | MG/KG | 97.6 |
| | | Cobalt, LCS | 248 | 250 | MG/KG | 99.0 |
| | | Chromium, LCS | 49.9 | 50.0 | NG/KG | 99.8 |
| | | Copper, LCS | 124 | 125 | MG/KG | 99.3 |
| | | Iron, LCS | 498 | 500 | MG/KG | 99.6 |
| | | Potassium, LCS | 2520 | 2500 | MG/KG | 100.9 |
| | • | Magnesium, LCS | 2440 | 2500 | MG/KG | 97.7 |
| • | · * | Manganese, LCS | 75.8 | 75.0 | MG/KG | 101.1 |
| , | | Molybderum, LCS | 498 | 500 | MG/KG | 99.6 |
| | * . | Sodium, LCS | 2450 | 2500 | MG/KG | 98.0 |
| | | Nickel, LCS | 198 | 200 | MG/KG | 98.8 |
| | | Lead, LCS | 247 | 250 | MG/KG | 98.7 |
| | | Antimony, LCS | 288 | 300 | MG/KG | 95.9 |
| | | Selenium, LCS | 907 | 1000 | MG/KG | 90.7 |
| | | Silicon, LCS | 401 | 500 | MG/KG | 80.3 |
| 4 | | Vanadium, LCS | 244 | 250 | MG/KG | 97.4 |
| | | Zinc, LCS | 97.4 | 100 | MG/KG | 97.4 |
| - | | | | | | |
| LCS1 | 04C0234-LC1 | Mercury, LCS | 6.4 | 6.2 | MG/KG | 102.7 |

Date: 16 November 2004

To: Bechtel Hanford Inc. (technical representative)

From: TechLaw, Inc.

Project: Remaining Sites Confirmation Sampling - Soil - Waste Site 100-F-12

Subject: PCB - Data Package No. H2776-LLI (SDG No. H2776)

INTRODUCTION

This memo presents the results of data validation on Summary Data Package No. H2776-LLI prepared by Lionville Laboratory Incorporated (LLI). A list of the samples validated along with the analyses reported and the method of analysis is provided in the following table.

| Sample ID | Sample Date | Media | Validation | Waste Site | Analysis |
|-----------|-------------|-------|------------|------------|------------|
| J01XV2 | 10/11/04 | Soil | С | 100-F-12 | See note 1 |
| J01XR3 | 10/11/04 | Soil | С | 100-F-12 | See note 1 |
| J01XR4 | 10/11/04 | Soil | C | 100-F-12 | See note 1 |
| J01XR5 | 10/11/04 | Soil | С | 100-F-12 | See Note 1 |

^{1 -} PCBs by 8082.

Data validation was conducted in accordance with the Bechtel Hanford Incorporated (BHI) validation statement of work and the Data Quality Objectives Summary Report for 100/300 Area Remaining Sites Analytical Sampling Effort, (BHI-01249, Rev. 3, March 2003). Appendices 1 through 5 provide the following information as indicated below:

Appendix 1. Glossary of Data Reporting Qualifiers

Appendix 2. Summary of Data Qualification

Appendix 3. Qualified Data Summary and Annotated Laboratory Reports

Appendix 4. Laboratory Narrative and Chain-of-Custody Documentation

Appendix 5. Data Validation Supporting Documentation

DATA QUALITY OBJECTIVES

Holding Times

Sample data were assessed to ascertain whether the holding time requirements were met by the laboratory. The holding time requirements are as follows: Soil samples must be extracted within 14 days of the date of sample collection and analyzed within 40 days from the date of extraction.

If holding times are exceeded by less than two times the limit, all associated sample results are qualified as estimates and flagged "J" for detects and "UJ" for non-detects. If holding times are exceeded by greater than two times the limit, all associated detected sample results are qualified as estimates and flagged "J" and all non-detects are rejected and flagged "UR".

All holding times were acceptable.

Method Blank

Method blank analyses are performed to determine the extent of laboratory contamination introduced through sampling, sample preparation or analysis. At least one method blank analysis must be conducted for every 20 samples. Method blanks should not contain target compounds at a concentration greater than required quantitation limit (RQL). If target compounds are present, sample results less than five times the blank concentration are qualified as undetected and flagged "U". If the sample result is less than five times the blank concentration and less than RQL, the result is qualified as undetected and elevated to the RQL.

All method blank target compound results were acceptable.

Field Blanks

One field blank (J01XR5) was submitted for analysis. No analytes were detected in the field blank.

Accuracy

Matrix Spike & Laboratory Control Sample

Matrix spike (MS) and laboratory control sample (LCS) analyses are used to assess the analytical accuracy of the reported data. The matrix spike is used to assess the effect of the matrix on the ability to accurately quantify sample concentrations. Recoveries must fall within the range of 50% to 150% (laboratory CLP limits for chlorinated pesticides). If spike recoveries are outside control limits, detected sample results less than five times the spike concentration are qualified as estimates and flagged "J". Non-detected sample results with spike recoveries outside control limits are qualified as estimates and flagged "UJ". Sample results greater than five times the spike concentration require no qualification.

Due to MS/MSD interference, all PCB results (except aroclor-1016) were qualified as estimates and flagged "J".

All other accuracy spike results were acceptable.

Surrogate Recovery

The analysis of surrogate compounds provides a measure of performance for individual samples. Matrix-specific surrogate compound recovery control windows have been established by the laboratory. When a surrogate compound recovery is outside the control window, all positively identified target compounds associated with the unacceptable surrogate recoveries are qualified as estimates and flagged "J". Non-detected compounds with surrogate recoveries less than the lower control limit are qualified as having an estimated detection limit and flagged "UJ". Non-detected compounds with surrogate recoveries above the upper control limit require no qualification.

All surrogate results were acceptable.

Precision

Matrix Spike/Matrix Spike Duplicate Samples

Matrix spike/matrix spike duplicate results provide matrix-specific information on the precision of the method for specific target compound classes. Precision is expressed as the relative percent difference (RPD) between the recoveries of duplicate matrix spike analyses performed on a sample. For soil samples, results must be within RPD limits of plus/minus 30%. If RPD values are out of specification and the sample concentration is less than five times the spike concentration, all associated detected sample results are qualified as estimates and flagged "J". If RPD values are out of specification and the sample concentration is greater than five times the spike concentration, no qualification is required.

Due to MS/MSD interference, all PCB results (except aroclor-1016) were qualified as estimates and flagged "J".

All other matrix spike/matrix spike duplicate results were acceptable.

Field Duplicate Samples

One set of field duplicates (J01XR3/J01XR4) was submitted for analysis. Field duplicates are compared using the same criteria as for laboratory duplicates. All field duplicate results were acceptable.

Analytical Detection Levels

Reported analytical detection levels are compared against the Remaining Waste Sites RQLs to ensure that laboratory detection levels meet the required criteria. Six PCB results were reported above the RQL. Under the BHI statement of work, no qualification is required. All other analytes met the RQL.

Completeness

Data Package No. H2776-LLI was submitted for validation and verified for completeness. Completeness is based on the percentage of data determined to be valid (i.e., not rejected). The completion percentage was 100%.

MAJOR DEFICIENCIES

None found.

MINOR DEFICIENCIES

Due to MS/MSD interference, all PCB results (except aroclor-1016) were qualified as estimates and flagged "J". Data flagged "J" indicates that the associated concentration is an estimate, but under the BHI statement of work, the data may be usable for decision-making purposes. All other validated results are considered accurate within the standard error associated with the methods.

Six PCB results were reported above the RQL. Under the BHI statement of work, no qualification is required.

REFERENCES

BHI, MRB-SBB-A23665, Validation Statement of Work, Bechtel Hanford Incorporated, September 5, 1997.

BHI-01249, Rev. 3, *Data Quality Objectives Summary Report for 100/300 Area Remaining Sites Analytical Sampling Effort*, Bechtel Hanford Incorporated, March 2003.

Glossary of Data Reporting Qualifiers

Qualifiers which may be applied by data validators in compliance with the procedures herein are as follows:

- Indicates the compound or analyte was analyzed for and not detected in the sample. The value reported is the sample quantitation limit corrected for sample dilution and moisture content by the laboratory.
- UJ Indicates the compound or analyte was analyzed for and not detected in the sample. Due to a minor QC deficiency identified during the data validation, the associated quantitation limit is an estimate.
- Indicates the compound or analyte was analyzed for and detected. Due to a minor QC deficiency identified during the data validation, the associated quantitation limit is an estimate.
- R Indicates the compound or analyte was analyzed for, detected, and due to an identified major QC deficiency, the data are unusable.
- UR Indicates the compound or analyte was analyzed for and not detected in the sample. Additionally, the data is unusable due to an identified major QC deficiency.
- NJ Indicates presumptive evidence of a compound at an estimated value.
 The data may not be valid for some specific applications (i.e., usable for decision-making purposes).
- Indicates presumptive evidence of a compound. The data may not be valid for some specific applications (i.e., usable for decision-making purposes).

Summary of Data Qualification

PCB DATA QUALIFICATION SUMMARY*

| SDG: H2776 | REVIEWER: TLI | DATE: 11/16/04 | PAGE 1 OF 1 |
|----------------------|------------------|------------------|------------------------|
| COMMENTS: | | \ | |
| COMPOUND | QUALIFIER | SAMPLES AFFECTED | REASON |
| All but aroclor-1016 | J | All | MS/MSD interference |

^{* -} The Qualified Data Summary Table includes laboratory applied "U" qualifiers not specifically identified here. The laboratory applied "U" qualifiers are included to minimize misinterpretation of results contained in the table.

Qualified Data Summary and Annotated Laboratory Reports

| - |
|---|
| _ |
| |
| 1 |
| |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| |
| - |
| |
| |
| 1 |
| _ |
| |
| - |
| 7 |
| • |
| 0000 |
| |
| |
| 7 1843 |
| ¥ |
| .v.Wee |
| _ |
| |
| - |
| _ |
| |

| Project: BECHTEL- | | | | | | • | | | | | |
|----------------------|------|----------|----|----------|----|-----------|----|----------|-----|--------|--------|
| Laboratory: Lionvill | | | | | | | | | | | |
| Case: | SDG: | H2776 | | | | | | | | | |
| Sample Number | | J01XV2 | | J01XR3 | | J01XR4 | | J01XR5 | | | |
| Remarks | | | | | | Duplicate |) | E. Blank | | | |
| Sample Date | | 10/11/04 | | 10/11/04 | | 10/11/04 | | 10/11/04 | | | |
| Extraction Date | | 10/15/04 | | 10/15/04 | | 10/15/04 | | 10/15/04 | | | |
| Analysis Date | | 10/19/04 | | 10/19/04 | | 10/19/04 | | 10/19/04 | | | |
| PCB | RQL | Result | Q | Result | Q | Result | Q | Result | Q | Result | Q |
| Arocior-1016 | 20 | 140 | U | 15 | U | 15 | U | 13 | U | | \Box |
| Arocior-1221 | 20 | 140 | บป | 15 | UJ | 15 | บม | 13 | IJJ | 1 | T |
| Aroclor-1232 | 20 | 140 | ÚJ | 15 | UJ | 15 | UJ | 13 | UJ | | T |
| Aroclor-1242 | 20 | 140 | UJ | 15 | ÜJ | 15 | IJ | 13 | UJ | | |
| Aroclor-1248 | 20 | 140 | UJ | 15 | UJ | 15 | UJ | 13 | UJ | | T |
| Aroclor-1254 | 20 | 140 | IJ | 15 | UJ | 15 | UJ | 13 | UJ | | Ţ |
| Aroclor-1260 | 20 | 2400 | J | 46 | J | 55 | J | 13 | UJ | | Т |

Report Date: 10/29/04 15:41

| | Cust ID: | J01XV2 | • | J01XV2 | | J01XV2 | | J01XR3 | | J01XR4 | • | J01XR5 | , |
|-------------------------------|--|--------------------|------------|----------------|------------|-----------------|----------------------|-------------|---------------------|-------------|--------------|--------------|-------------|
| Sample Information | RFW#: Matrix: | 001 SOIL | | 001 MS SOIL | | 001 MSD SOIL | | 002 SOIL | | 003 SOIL | | 004 SOIL | , |
| | D.F.: Units: | 10. UG/K | | 1.0 UG/K | | 1.0 UG/K | | 1.0 UG/K | | 1.0 UG/k | | 1.00 UG/K | |
| Surrogate: | Tetrachloro-m-xylene Decachlorobiphenyl | 85 100 | 8 8 | 91 78 | 왕 왕 | 96 80 | 왕 왕 f 1 | 97 76 | % % £1 | 95 78 | % % f1 | 92 75 | |
| Aroclor-1016_ Aroclor-1221 | | 140 140 | TI T | 76 14 | & | 81 14 | * U | 15 15 | บ วัง บ 3 | 4, 15 15 | U Sila | , 13 13 | U |
| Aroclor-1232 Aroclor-1242 | | 140 140 | υŢ | 14 14 | ט ט | 14 14 | U U | 15 15 | n 2 | 15 15 | บรั | 13 13 | υ . Σ. υ |
| aroclor-1248 aroclor-1254 | <u> </u> | 140 140 | ת ב ג ט | 14 14 | U U | 14 14 | U U | 15 15 | บัง | 15 15 | ב ב ה | 13 13 | T.U |
| roclor-1260 | * | 2400 | | I | ક | I | * | 46 | I | 55 | | 13 | UJ |

| | Cust ID: | PBLKYL | PBLKYL BS | | | |
|--|--|----------------------------|------------------------------|----|----------|-----------|
| Sample | RFW#: | 04LE1278-MB1 | 04LE1278-MB1 | | | |
| Information | Matrix: D.F.: Units: | SOIL 1.00 UG/KG | SOIL 1.00 UG/KG | | | |
| Surrogate: | Tetrachloro-m-xylene Decachlorobiphenyl | 90 % 95 % | 92 % 99 % | fl | fl | =======f1 |
| Aroclor-1016 Aroclor-1221 Aroclor-1232 | | _ 13 U _ 13 U _ 13 U | 99 % 13 U 13 U | | z | |
| Aroclor-1248 Aroclor-1254 Aroclor-1254 Aroclor-1260 | | 13 U 13 U 13 U | 13 U 13 U 13 U 97 % | | 11/10/04 | He alder |

U= Analyzed, not detected. J= Present below detection limit. B= Present in blank. NR= Not reported. NS= Not spiked. %= Percent recovery. D= Diluted out. I= Interference. NA= Not Applicable. *= Outside of EPA CLP QC

00011

Laboratory Narrative and Chain-of-Custody Documentation



Analytical Report

Client: TNU HANFORD B03-015

LVL#: 0410L868

SDG/SAF#: H2776/B03-015

W.O.#: 11343-606-001-9999-00 Date Received: 10-13-2004

PCB

Four (4) soil samples were collected on 10-11-2004.

The samples and their associated QC samples were extracted on 10-15-2004 and analyzed according to Lionville Laboratory SOPs based on SW846, 3rd Edition procedures on 10-19,28-2004. The extraction procedure was based on method 3540C and the extracts were analyzed based on method 8082.

The following is a summary of the QC results accompanying the sample results and a description of any problems encountered during their analyses:

- 1. All results presented in this report are derived from samples that met LvLl's sample acceptance policy.
- 2. Samples were extracted and analyzed within required holding time.
- 3. The samples and their associated QC samples received Silica Gel, Copper-Sulfur and Sulfuric Acid cleanups according to Lionville Laboratory SOPs based on SW846 methods 3630C, 3660A and 3665A respectively.
- 4. The method blank was below the reporting limits for all target compounds.
- 5. All surrogate recoveries were within acceptance criteria.
- 6. The blank spike recoveries were within acceptance criteria.
- 7. The obtainable matrix spike recoveries were within acceptance criteria.
- 8. Sample J01XV2 required a 10-fold dilution due to high concentration of target analytes.
- 9. All initial calibrations associated with this data set were within acceptance criteria.
- 10. The continuing calibration standards analyzed prior to sample extracts were within acceptance criteria.
- 11. Pattern for Aroclor-1260 was identified in the samples. The reported Aroclor was chosen based on the best pattern match and fit. Quantitation was performed using congeners common to the Aroclor to give the best overall total PCB concentration.
- 12. I certify that this sample data package is in compliance with SOW requirements, both technically and for completeness, other than the conditions detailed above. Release of the data contained in this hard-copy data package has been authorized by the laboratory Manager or a designee, as verified by the following signature.

Iain Daniels

Laboratory Manager

Lionville Laboratory Incorporated

-N/1/04 Date

som\r:\group\data\pest\tnu hanford\0410-868.pcb

The results presented in this report relate only to the analytical testing and conditions of the samples at receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of 8 pages.

| Bechtel Hanford | Inc. | CHA | IN OF CUSTO | ODY/SA | MPLE. | ANALY | SIS I | REQUES | Υ | | B03-0 | 015-262 | Page | T of | ı. |
|--|---|--|---|--|-----------------------|---|---|---|------------|-------------|---------------------------------------|-----------------|---------------|-----------------|--|
| llector Stankovich/Rivera | | Company M Stan | Contact . | Telephone 531-762 | No. | | ī | Project Coordinator KESSNER, JH Price Coo | | e Code -{ | 8 18 - | | Turna L Do | | |
| olect Designation Remaining Sites Confirmation (| Sampling-Soil | Sampling 100-F- | Location 12 | | | | | SAF No. 303-015 | | Air | Quality | | 15 | 1 Da 1 Ou | 15 |
| Chest No. ERC O | 1 030 | | Field Logbook No. COA C10F126700 | | | | | Method of Sh Fed Ex | pment | | | CKR | (6/1 | 1707 | , |
| linned To LVLI EBERLING SERVICES (Form | actly EMA) | Offsite P | roperty No. | 25 <u>ට</u> (| 013 | | | Bill of Ladin | g/Air Bil | II No. | ८६ ६ | 08/ | J | | |
| OSSIBLE SAMPLE HAZAR | RDS/REMARKS | | Preservation | | ·. | | | | | | | | | | |
| Special Handling and/or St | torage | <u></u> | Type of Container | G/P | G/P | аG | aG | G | | | • | | | | |
| Cool 4c | winge | | No. of Container(s) | 1 | 1 | 1 | (| | | | | | | | |
| 2 | | | Volume | 250mL | 120ml. | 250mL | 250m | E | | | | | | | |
| 0 0 0 14 | SAMPLE ANALYSIS | | | See item (1) in Special Instructions. | Hex - 71% | PCBs - 8082; Pesticides— 8081; Chlore— Harbisides— EPA8151 CKR- | PAHs - | 8310 TPH (Tota 418.1 |) - | | | | | · | |
| Sample No. | Matrix * S | ample Date | Sample Time | | | CKR 10/11/04 | 100000000000000000000000000000000000000 | | | | | | | | il i |
| | | /11/04 | 0920 | X | l x | X | × * | X | | · 24-351886 | · · · · · · · · · · · · · · · · · · · | | | or meet species | |
| J01XV2 | SOIL 10 | 7 11 7 0 7 | 10120 | 1 ' | | | | | | | | | | | |
| J01XV2 | SOIL 10 | 11/0-1 | 0,20 | | | | · | | | | | | | | Υ |
| J01XV2 | SOIL 10 | / 11 / 0-1 | 0120 | | | | | | | | | | | | |
| J01XV2 | SOIL 10 | 7 11 7 0 -1 | 0120 | | | | | | | | | | | | |
| CHAIN OF POSSESSIO | ON Date/Jime R | Sign/Prin | t Names | Date/Time | SPE | CIAL INST | 010TR (S | SW846) (Alumi | um, Antin | nony, Ar | senic, Bariun | n, Beryllium, I | Boron, | | Matrix ' |
| CHAIN OF POSSESSIC Relinquished By/Remoyed From CWA'S RIVEA CWA Rive Relinquished By/Removed From REF 2B 3728 | Date/Time 10/11/04 1320 Date/Time 10/12/04 0900 | Sign/Prin eceived By/Sto 3728 Ref. eceived By/Sto SJOAL | t Names ed In 28 10/11/04 red In SM AM 10 | Date/Time 4 132 Date/Time /2-04 6 | SPE (I) Cac Nic | ICP Metals - 6 | DIOTR (S , Chromi | | per, Iron, | Lead, Ma | agnesium, Ma | anganese, Mo | lybdemini | | S=Soil |
| CHAIN OF POSSESSION Relinquished By/Removed From Relinquished By/Removed From REF 2B 3728 Relinquished By/Removed Epom SIGHTE JAMES | Date/Time 10/11/04 1320 Date/Time 10/12/04 0900 Date/Time 10/2/04/0900 Date/Time 10/2/04/0900 | Sign/Prin eccived By/Sto 3728 Ref. eccived By/Sto S IOA Co eccived By/Sto | i Names red in red in red in red in | Date/Time 4 132 Date/Time /2-04 C Date/Time | SPE (1) Cac Nic | ICP Metals - 6 | DIOTR (S , Chromi | SW846) (Alumi um, Cobalt, Cor | per, Iron, | Lead, Ma | agnesium, Ma | anganese, Mo | lybdemini | | S=Soll SE=Sodime SO=Solid SI=Studge W = Water O=Oil A=Air DS=Droin DL=Droin T=Tissie Wi=Wipe |
| CHAIN OF POSSESSIC Relinquished By/Removed From Relinquished By/Removed From REF 2-B 3728 Relinquished By/Removed From S. GALE J. J. J. Removed From Relinquished By/Removed From Relinquished By/Removed From Relinquished By/Removed From J. Relinquished By/Removed By/Removed By/Removed B | Date/Time 10/11/04 1320 Date/Time 10/12/04 09/00 Date/Time 10/2/04/09/00 Date/Time 10/2/04/09/00 Date/Time | Sign/Prin eccived By/Sto 3728 Ref. eccived By/Sto S IOA Co eccived By/Sto | t Names ed In DB 0 / 11 / 0 red In red In red In / or 3 | Date/Time 4 132 Date/Time /2-04 C Date/Time | SPE (1) Cac Nic O 900 | ICP Metals - 6 | DIOTR (S , Chromi Seleniun availah nples fr | sw846) {Alumin um, Cobalt, Cop a, Silicon, Silver sile to om 3728 | per, Iron, | Lead, Ma | agnesium, Ma | anganese, Mo | lybdemini | - | S=Soll SE=Sedimer SO=Solid SI=Studge W = Water O=Oll A=Alr DS=Drain T=Tissue |
| CHAIN OF POSSESSIC Telinquished By/Removed From Chair River Wisking Relinquished By/Removed From State By/Removed From Relinquished By/Removed From Relinquished By/Removed From Relinquished By/Removed From | Date/Time 10/11/04 1320 Date/Time 10 12 04 0900 Date/Time 0/2 04 0900 Date/Time 0/3-04 1005 Date/Time | Sign/Prin eccived By/Sto 3728 Ref. eccived By/Sto deccived By/Sto Received By/Sto | t Names ed In JB 10/11/04 red In red In red In red In red In red In red In | Date/Time 4 13 2 Date/Time /2.04 6 Date/Time Date/Time | SPE (1) Cac Nic O 900 | ICP Metals - 6 dmium, Calcium, kel, Potassium, Personnel not relinqui <u>sh</u> sär | DIOTR (S , Chromi Seleniun availah nples fr | sw846) {Alumin um, Cobalt, Cop a, Silicon, Silver sile to om 3728 | per, Iron, | Lead, Ma | agnesium, Ma | anganese, Mo | lybdemini | | S=Soil SE=Sedime SO=Soild Si=Studge W= Woter O=Oil A=Air DS=Droin DU=Droin T=Tissue W=Wipe L=Ugrid V=Vegetut |
| CHAIN OF POSSESSIC Relinquished By/Removed From Chris Rivea Wiskive Relinquished By/Removed From Re 2B 372 R Relinquished By/Removed Eyom SITALE Wisking Removed From | Date/Time 10/11/04 1320 Date/Time 10/12/04 0900 Date/Time 0/2/04/0900 Date/Time 0-/3-04/005 Date/Time Date/Time | Sign/Prin eccived By/Sto 3728 Ref. eccived By/Sto Eccived By/Sto Received By/Sto | t Names ed In JB 10/11/04 red In red In red In red In red In red In red In | Date/Time 4 13 2 Date/Time / Z.O.H. & Date/Time Date/Time Date/Time Date/Time | SPE (1) Cac Nic O 900 | ICP Metals - 6 dmium, Calcium, kel, Potassium, Personnel not relinqui <u>sh</u> sär | DIOTR (S , Chromi Seleniun availah nples fr | sw846) {Alumin um, Cobalt, Cop a, Silicon, Silver sile to om 3728 | per, Iron, | Lead, Ma | agnesium, Ma | anganese, Mo | lybdemini | L'inc | S=Soil SE=Sedime SO=Soild Si=Studge W= Woter O=Oil A=Air DS=Droin DU=Droin T=Tissue W=Wipe L=Ugrid V=Vegetut |

The large of the property of the second seco

| Bechtel Hanford | lnc. | СН | AIN OF CUST | ODY/SA | AMPLE. | ANALY | SIS REC | DUEST | | B03- | 015-261 | Page 1 of | 1 |
|--|-------------------------------|---------------------------------------|---------------------------------|--------------------|----------------------------|---|---------------------------------|--|--------------------------|------------------------------------|---------------------------------|--|--|
| ector ankovich/Rivera | | Compat | iv Contact inkovich | Telenhon 531-76 | e No. | | Proie | ct Coordinat NER, III | or Pr | ice Code | 813 - | Data Turn | |
| ect Designation emaining Sites Confirmation S | ampling-Soil | Samplii 100-l | ng Location F-12 | | • | SAF No. 1803-015 | | Ai | Air Quality | | 15 Da | ays y_s | |
| Chest No. ERC OI | 03 0 | | ogbook No. 578-3 | | COA C10F12670 | 0 | | od of Shinme d Ex | ent | - | CKR | 10/11/0 | γC |
| oned To LVL | rly TiviA) | Offsite | Property No. AC | 050 | 013 | | Bill | of Lading/Ai | r Bill No. | See | 059 | | |
| OSSIBLE SAMPLE HAZAR | DS/REMARKS | | | | | | | | | | | | |
| | | | Preservation Type of Container | G/P | G/P | G/P | вG | G | · | <u> </u> | | | · · · · · · · · · · · · · · · · · · · |
| pecial Handling and/or Sto | rage | | No. of Container(s) | 1 | 1 1 | ı | 1 | 1 | | | | - | |
| | | | Volume | 1000inE | 250mL | 120mL | 250mL | 60ml | | | | | |
| | • | · · · · · · · · · · · · · · · · · · · | | See item (1) it | See item (2) in Special | Chromium Hex - 7196 | PCBs - 8082; Penisides | VOA - 8260A (TCL) | | | | | |
| 3 | SAMPLE ANAL | YSIS | | Instructions. | Instructions. | | EPARISI LO/11/07 | | | | | | |
| Sample No. | Matrix * | Sample Date | Sample Time | 3/1 | | 1000 | AT THE | 1 | 聖 書 1 | 注:常数 | 4 0 349 | The state of the s | al (|
| 1XR3 | SOIL | 10/11/04 | 1035 | X | X | Χ | X | | | | | | |
| 11XR4 | SOIL | 10/11/04 | 1035 | × | \ <u> </u> | × | X | | | | | , , | <u> </u> |
| 11XR5 | SOIL | 10/11/04 | 1030 | | × | | <u>×</u> | | | | | | <u> </u> |
| CHAIN OF POSSESSIO | N | Sign/Pri | nt Names | | CDT | CIAL INST | PHCTIONS | | | | | | Matri |
| linguished By/Removed From | Date/Tjme | Received By/St | ored In | Date/Time | 0 | Gamma Snecti | uscopy (TCL ! | .ist) (Cesium-1: .dd-on (Americi | 37, Cobalt-C | 60, Europium-1: | 52, Europium-l Gross Aloho A | 154, V Grass Retu | S=Soil SE=Sedio SQ+Solid |
| linquished By/Removed From | Date/Time 2012 04 090 | Received By/St | | Date/Time | Nic Tee | kel-63, Isotopi Imetium 79, Is | : Plutenium (P Hopic Uranium | h aonlum-238, P Uranium-232 6) Alaminum, | htorium-25 234, Urani | 19/240} Stronti un 375 Uruniu | m 238+ A∕A | ronzoy | SI=Shidg W = Wai |
| linquished By/Removed From | Date/Time 2 <i>04 0900</i> | Received By/Si | tarea iii | Date/Time | Cac | hmum, Calciun | a, Chromium, C | Cobalt, Copper, con, Silver, Sod | tron, 1.cad, | Magnesium, M | anganese, Mol | ybdenum, | A=Air OS=Drei OL=Orm |
| Hiquipled By Benioved From | Date/Time 3 04 1005 | Received By/S | , | Date/Time | 007 | . • | | 1 | | | | | T=Tissu Wi=Wip L=Liqui V=Vege |
| linquished By/Removed From | Date/Time | Received By/S | torca tri | Date/Time | . ; | 'ersonnel not relinquish sar Ref # 2.5 on | nples from 3 | 728 5 .) | | | | | X=Orbo |
| elinquished By/Removed From | Date/Tinxe | Received By/S | itored In | Date/Time | | W 17 E-10 (II) | <u> </u> | | | | | | |
| ABORATORY Received II | у. | | • | | Title | | • | | • . | | | Date/Time | |
| FINAL SAMPLE Disposal N | | | | | | | sposed By | | | | | Date/Time | |

Data Validation Supporting Documentation

| PROJECT: RUS / OO -F - 12 DATA PACKAGE: H 2776 VALIDATOR: +LP LAB: LLL DATE: 11/12/54 SDG: H 2 776 ANALYSES PERFORMED SW-846 8081 SW-846 8082 SW-846 8081 (TCLP) SAMPLES/MATRIX JOIXUZ JOIXK3 JOIX RY JOIXRS DATA PACKAGE COMPLETENESS AND CASE NARRATIVE echnical verification documentation present? Yes No N/A comments: | VALIDATION | Α | В | (c) | D | Е |
|--|------------------------|---------------------|---------------------------------------|----------------|--|--------------|
| VALIDATOR: TELL LAB: LELL DATE: 11/12/54 SDG: H2774 ANALYSES PERFORMED SW-846 8081 SW-846 8081 SW-846 8082 SW-846 8081 (TCLP) SAMPLES/MATRIX TO I XU2 TO IXK3 TO IX RY TO IXRS DATA PACKAGE COMPLETENESS AND CASE NARRATIVE rechnical verification documentation present? Yes No N/A comments: INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) initial calibrations acceptable? Yes No N/A continuing calibrations acceptable? Yes No N/A candards traceable? Yes No N/A candards traceable? Yes No N/A candards expired? Yes No N/A candards expired? Yes No N/A candards expired? Yes No N/A comments: Yes No N/A yes | | | | | 3.5 | |
| SDG: H 2 77 (ANALYSES PERFORMED SW-846 8081 SW-846 8082 SW-846 8081 (TCLP) SAMPLES/MATRIX TO I X U 2 TO I X R Y TO I X R Y DATA PACKAGE COMPLETENESS AND CASE NARRATIVE echnical verification documentation present? Yes No N/A comments: INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) continuing calibrations acceptable? Yes No N/A tandards traceable? Yes No N/A candards traceable? Yes No N/A candards expired? Yes No N/A comments: DT and endrin breakdowns acceptable? Yes No N/A comments: | PROJECT: R | ws 10 | 0-F-12 | DATA PACKAG | E: H277 | 9 |
| ANALYSES PERFORMED SW-846 8081 SW-846 8081 SW-846 8082 SW-846 8081 (TCLP) SAMPLES/MATRIX TO IX RY TO IX RS DATA PACKAGE COMPLETENESS AND CASE NARRATIVE Technical verification documentation present? Yes No N/A comments: INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) Total calibrations acceptable? Yes No N/A continuing calibrations acceptable? Yes No N/A comments: | VALIDATOR: • | +LF | LAB: LL | \mathcal{L} | DATE: ///; | 2/04 |
| SW-846 8081 SW-846 8081 SW-846 8082 SW-846 8081 (TCLP) SAMPLES/MATRIX TO XU > TO XK TO XK DATA PACKAGE COMPLETENESS AND CASE NARRATIVE Pechnical verification documentation present? No N/A Comments: INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) obitial calibrations acceptable? Yes No N/A tandards traceable? Yes No N/A tandards traceable? Yes No N/A calculation check acceptable? Yes No N/A comments: Yes N/A comments Yes N/A comments Yes N/A comments | | | | SDG: | 2774 | |
| SAMPLES/MATRIX TO I X U 2 TO I X K Y TO | | | ANALYSES | PERFORMED | | |
| DATA PACKAGE COMPLETENESS AND CASE NARRATIVE cechnical verification documentation present? Yes No N/A comments: INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) continuing calibrations acceptable? Yes No N/A tandards traceable? Yes No N/A tandards traceable? Yes No N/A calculation check acceptable? Yes No N/A continuing calibrations acceptable? Yes No N/A calculation check acceptable? Yes No N/A continuing calibrations acceptable? Yes No N/A calculation check acceptable? Yes No N/A comments: | SW-846 8081 | | SW-846 8082 | 1 | | |
| DATA PACKAGE COMPLETENESS AND CASE NARRATIVE Cechnical verification documentation present? Yes No N/A Comments: INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) continuing calibrations acceptable? Yes No N/A continuing calibrations acceptable? Yes No N/A tandards traceable? Yes No N/A calculation check acceptable? Yes No N/A continuing calibrations acceptable? Yes No N/A calculation check acceptable? Yes No N/A comments: | SAMPLES/MATI | RIX | | <u> </u> | | |
| DATA PACKAGE COMPLETENESS AND CASE NARRATIVE Cechnical verification documentation present? Yes No N/A Comments: INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) continuing calibrations acceptable? Yes No N/A continuing calibrations acceptable? Yes No N/A tandards traceable? Yes No N/A calculation check acceptable? Yes No N/A calculation check acceptable? Yes No N/A comments: | | 61 × (1) | TOIVI | ez 70 | SIYRY | TOIXES |
| DATA PACKAGE COMPLETENESS AND CASE NARRATIVE Sechnical verification documentation present? Yes No N/A Comments: INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) Initial calibrations acceptable? Yes No N/A Continuing calibrations acceptable? Yes No N/A Itandards traceable? Yes No N/A Calculation check acceptable? Yes No N/A Calculation check acceptable? Yes No N/A Comments: | | CIVOS | 201NI | -) -1 | 3 1// 1 | JU, K. \ |
| DATA PACKAGE COMPLETENESS AND CASE NARRATIVE Sechnical verification documentation present? Yes No N/A Comments: INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) Initial calibrations acceptable? Yes No N/A Continuing calibrations acceptable? Yes No N/A Itandards traceable? Yes No N/A Calculation check acceptable? Yes No N/A Calculation check acceptable? Yes No N/A Comments: | - | | | · | | |
| DATA PACKAGE COMPLETENESS AND CASE NARRATIVE Sechnical verification documentation present? Yes No N/A Comments: INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) Initial calibrations acceptable? Yes No N/A Continuing calibrations acceptable? Yes No N/A Itandards traceable? Yes No N/A Calculation check acceptable? Yes No N/A Calculation check acceptable? Yes No N/A Comments: | | | | | | |
| DATA PACKAGE COMPLETENESS AND CASE NARRATIVE Sechnical verification documentation present? Yes No N/A Comments: INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) Initial calibrations acceptable? Yes No N/A Continuing calibrations acceptable? Yes No N/A Itandards traceable? Yes No N/A Calculation check acceptable? Yes No N/A Calculation check acceptable? Yes No N/A Comments: | | | | | | |
| INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) continuing calibrations acceptable? Initial calibrations acceptable? Continuing calibrations acceptable? Yes No N/A tandards traceable? Yes No N/A tandards expired? Yes No N/A calculation check acceptable? Yes No N/A calculation check acceptable? Yes No N/A comments: | | | | · | | ၁. / |
| nitial calibrations acceptable? Yes No N/A Continuing calibrations acceptable? Yes No N/A tandards traceable? Yes No N/A tandards expired? Yes No N/A calculation check acceptable? Yes No N/A DDT and endrin breakdowns acceptable? Yes No N/A comments: | Technical verification | on documentation p | oresent? | | | Yes (No)N/A |
| nitial calibrations acceptable? Yes No N/A Continuing calibrations acceptable? Yes No N/A tandards traceable? Yes No N/A tandards expired? Yes No N/A calculation check acceptable? Yes No N/A DDT and endrin breakdowns acceptable? Yes No N/A comments: | | | | | | |
| nitial calibrations acceptable? Yes No N/A Continuing calibrations acceptable? Yes No N/A tandards traceable? Yes No N/A tandards expired? Yes No N/A calculation check acceptable? Yes No N/A DDT and endrin breakdowns acceptable? Yes No N/A comments: | | - | | | | |
| nitial calibrations acceptable? Yes No N/A Continuing calibrations acceptable? Yes No N/A tandards traceable? Yes No N/A tandards expired? Yes No N/A calculation check acceptable? Yes No N/A DDT and endrin breakdowns acceptable? Yes No N/A comments: | | | | | | |
| Continuing calibrations acceptable? Yes No N/A tandards traceable? Yes No N/A tandards expired? Yes No N/A Calculation check acceptable? Yes No N/A DDT and endrin breakdowns acceptable? Yes No N/A Comments: | 2. INSTRUM | IENT PERFORM | ANCE AND CAL | IBRATIONS (Lev | els D and E) | \wedge |
| tandards traceable? Yes No N/A tandards expired? Yes No N/A calculation check acceptable? Yes No N/A DDT and endrin breakdowns acceptable? Yes No N/A comments: | | • | | | and the second s | 1 1 |
| tandards expired? | Continuing calibrati | ions acceptable? | | | · | Yes No N/A |
| Calculation check acceptable? | Standards traceable | ? | | | •••• | Yes No N/A |
| ODT and endrin breakdowns acceptable? | | | | | | |
| DDT and endrin breakdowns acceptable? | | | | | i i | |
| | DDT and endrin bre | eakdowns acceptable | le? | | | Yes No N/A |
| | Comments: | | | | · · · · · · · · · · · · · · · · · · · | |
| | | | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | |
| | | <u> </u> | | | | |

| 3. BLANKS (Levels B, C, D, and E) | | |
|---|--|--------------|
| Calibration blanks analyzed? (Levels D, E) | Yes | No (N/A) |
| Calibration blank results acceptable? (Levels D, E) | | |
| Laboratory blanks analyzed? | | No N/A |
| Laboratory blank results acceptable? | (| No N/A |
| Field/trip blanks analyzed? (Levels C, D, E) | (<u>ye</u> ş) | No N/A |
| Field/trip blank results acceptable? (Levels C, D, E) | (Ves) | No N/A |
| Transcription/calculation errors? (Levels D, E) | Yes | No NA |
| Comments: | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | |
| | | • • • |
| | | |
| FB-RS | <u> </u> | |
| | | <u> </u> |
| | | |
| 4. ACCURACY (Levels C, D, and E) | ~ | • |
| Surrogates analyzed? | <u>(</u> Veg) | No N/A |
| Surrogate recoveries acceptable? | | No N/A |
| Surrogates traceable? (Levels D, E) | Yes | No N/A |
| Surrogates expired? (Levels D, E) | Yes | No N/A |
| MS/MSD samples analyzed? | (Yes) | No N/A |
| MS/MSD results acceptable? | Yes | Ma_N/A |
| MS/MSD standards NIST traceable? (Levels D, E) | Yes | No (N/A) |
| MS/MSD standards expired? (Levels D, E) | Yes | No NA |
| LCS/BSS samples analyzed? | (Ye) | No N/A |
| LCS/BSS results acceptable? | Yes | No N/A |
| Standards traceable? (Levels D, E) | | |
| Standards expired? (Levels D, E) | | |
| Transcription/calculation errors? (Levels D, E) | Yes | No WA |
| Performance audit sample(s) analyzed? | Yes | No N/A |
| | Yes | No N/A |
| Comments: M5/MBroclar 1260- Intersera - Jall h | ut 10 | <i>ما</i> ا(|
| | | · · · |
| | | - C |
| | $\nu \circ \nu$ | TI |

| 5. PRECISION (Levels C, D, and E) | |
|---|--------------|
| Duplicate RPD values acceptable? | |
| Duplicate results acceptable? | Yes No N/A |
| MS/MSD standards NIST traceable? (Levels D, E) | Yes No (N/) |
| MS/MSD standards expired? (Levels D, E) | Yes No (N/A |
| Field duplicate RPD values acceptable? | Yes No N/A |
| Field split RPD values acceptable? | Yes No NA |
| Transcription/calculation errors? (Levels D, E) | Yes No N/A |
| Comments: 1260 rusjus D Jonsensone - J | all hat 1016 |
| | |
| | |
| | |
| | |
| 6. SYSTEM PERFORMANCE (Levels D and E) | 6 |
| Chromatographic performance acceptable? | Yes No/N/A |
| Positive results resolved acceptably? | Yes No N/A |
| Comments: | |
| | |
| | |
| | |
| | |
| | |
| 7. HOLDING TIMES (all levels) | |
| Samples properly preserved? | |
| Sample holding times acceptable? | Yes No N/A |
| Comments: | |
| | |
| | |
| " , ' | |

| 8. COMPOUND IDENTIFICATION, QUANTITATION, AND DETECTION | M PHATES (SHIE) | vels) | |
|---|-----------------|-------|-----------|
| Compound identification acceptable? (Levels D, E) | Yes | No | NA |
| Compound quantitation acceptable? (Levels D, E) | Yes | No(| N/A |
| Results reported for all requested analyses? | (Yes | No | N/A |
| Results supported in the raw data? (Levels D, E) | | | 1 5 |
| Samples properly prepared? (Levels D, E) | Yes | No (| N/A |
| Detection limits meet RDL? | Yes | No | N/A |
| Transcription/calculation errors? (Levels D, E) | Yes | No (| N/A |
| Comments: 12 - all undeter over | | | _ |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| 9. SAMPLE CLEANUP (Levels D and E) | | 1 | |
| Fluoricil ® (or other absorbent) cleanup performed? | Yes | No | N/A |
| Lot check performed? | | | |
| Check recoveries acceptable? | Yes | No | N/A |
| GPC cleanup performed? | Yes | No | N/A |
| GPC check performed? | Yes | No | N/A |
| GPC check recoveries acceptable? | Yes | No | N/A |
| GPC calibration performed? | Yes | No : | N/A |
| GPC calibration check performed? | Yes | No 3 | N/A |
| GPC calibration check retention times acceptable? | Yes | No ? | N/A |
| Check/calibration materials traceable? | | | |
| Check/calibration materials Expired? | Yes | No : | N/A |
| Analytical batch QC given similar cleanup? | Yes | No 1 | N/A |
| Transcription/Calculation Errors? | Yes | No \ | N/A |
| Comments: | | | \bigvee |
| | | | |
| | | | |
| | | | |

Date:

16 November 2004

To:

Bechtel Hanford Inc. (technical representative)

From:

TechLaw, Inc.

Project:

Remaining Sites Confirmation Sampling - Soil - Waste Site 100-F-12

Subject:

Wet Chemistry - Data Package No. H2776-LLI (SDG No. H2776)

INTRODUCTION

This memo presents the results of data validation on Data Package No. H2776-LLI prepared by Lionville Laboratory Inc. (LLI). A list of samples validated along with the analyses reported and the method of analysis is provided in the following table.

| Sample ID | Sample Date | Media | Validation | Waste Site | Analysis |
|-----------|-------------|-------|------------|------------|----------------|
| J01XV2 | 10/11/04 | Soil | С | 100-F-12 | See note 1 & 2 |
| J01XR3 | 10/11/04 | Soil | С | 100-F-12 | See note 1 |
| J01XR4 | 10/11/04 | Soil | С | 100-F-12 | See Note 1 |

^{1 -} Chromium VI by 7196A.

Data validation was conducted in accordance with the Bechtel Hanford Incorporated (BHI) validation statement of work and the Data Quality Objectives Summary Report for 100/300 Area Remaining Sites Analytical Sampling Effort, (BHI-01249, Rev. 3, March 2003). Appendices 1 through 6 provide the following information as indicated below:

Appendix 1. Glossary of Data Reporting Qualifiers

Appendix 2. Summary of Data Qualification

Appendix 3. Qualified Data Summary and Annotated Laboratory Reports

Appendix 4. Laboratory Narrative and Chain-of-Custody Documentation

Appendix 5. Data Validation Supporting Documentation

Appendix 6. Additional Documentation Requested by Client

DATA QUALITY PARAMETERS

Holding Times

Analytical holding times for metals are assessed to ascertain whether the holding time requirements were met by the laboratory. The holding time requirements are as follows: Soil samples must be analyzed within 28 days for TPH and 30 days for chromium VI.

If holding times are exceeded, but not by greater than two times the limit, all associated sample results are qualified as estimates and flagged "J" for detects and 00001

^{2 -} Total petroleum hydrocarbons by 9071.

"UJ" for non-detects. If holding times are exceeded by greater than two times the limit, all associated detectable sample results are qualified as estimates and flagged "J" and all non-detects are rejected and flagged "UR".

All holding times were acceptable.

Method Blanks

Method Blanks

Method blank analyses are performed to determine the extent of laboratory contamination introduced through sampling, sample preparation and analysis. At least one acceptable method blank analysis must be conducted for every 20 samples. No contaminants should be present in the method blank. All blank results must fall below the contract required detection limit (CRQL) to be acceptable.

All method blank results were acceptable.

Field (Equipment) Blank

No field blanks were submitted for analysis.

Accuracy

Matrix Spike & Laboratory Control Sample

Matrix spike (MS) and laboratory control sample (LCS) analyses are used to assess the analytical accuracy of the reported data. The matrix spike is used to assess the effect of the matrix on the ability to accurately quantify sample concentrations. Recoveries must fall within the range of 70% to 130%. Samples with a recovery of less than 30% and a sample result below the IDL are rejected and flagged "UR". Samples with a recovery of 30% to 69% and a sample result less than the IDL are qualified "UJ". Samples with a recovery of greater than 130% or less than 70% and a sample result greater than the IDL are qualified as estimates and flagged "J". Finally, for samples with a recovery greater than 130% and a sample result less than the IDL, no qualification is required.

All accuracy results were acceptable.

Precision

Laboratory Duplicate Samples

Analytical precision is expressed by the relative percent differences (RPD) between the recoveries of matrix spike duplicate (MSD) analyses performed on a sample in 00002

the analytical batch. Precision may alternatively be assessed using unspiked duplicate analyses performed on a sample in the analytical batch. If both sample and replicate activities (concentrations) are greater than five times the CRDL and the RPD is less than 30%, no qualification is required. If either activity (concentration) is less than five times the CRDL, the RPD control limit is less than or equal to two times the CRDL. If the RPD is outside the applicable control limit, associated results are qualified as estimated detects or estimated non-detects.

Due to an RPD outside QC limits (41%), all TPH results were qualified as estimates and flagged "J".

All other laboratory duplicate results were acceptable.

Field Duplicate

One set of field duplicates (J01XR3/J01XR4) was submitted for analysis. Field duplicates are compared using the same criteria as for laboratory duplicates. All field duplicate results were acceptable.

Analytical Detection Levels

Reported analytical detection levels are compared against the required quantitation limits (RQLs) to ensure that laboratory detection levels meet the required criteria. All undetected results exceeded the RQL. Under the BHI statement of work, no qualification is required.

Completeness

Data package No. H2776-LLI was submitted for validation and verified for completeness. Completeness is based on the percentage of data determined to be valid (i.e., not rejected). The completion percentage was 100%.

MAJOR DEFICIENCIES

None found.

MINOR DEFICIENCIES

Due to an RPD outside QC limits (41%), all TPH results were qualified as estimates and flagged "J". Data flagged "J" indicates that the associated concentration is an estimate, but under the BHI statement of work, the data may be usable for decision-making purposes. All other validated results are considered accurate within the standard error associated with the methods.

All undetected results exceeded the RQL. Under the BHI statement of work, no qualification is required.

REFERENCES

FHI, Contract #20266, Validation Statement of Work, Bechtel Hanford Incorporated, July 7, 2003.

BHI-01249, Rev. 3, Data Quality Objectives Summary Report for 100/300 Area Remaining Sites Analytical Sampling Effort, Bechtel Hanford Incorporated, March 2003.

Glossary of Data Reporting Qualifiers

Qualifiers which may be applied by data validators in compliance with BHI validation SOW are as follows:

- Indicates the compound or analyte was analyzed for and not detected in the sample. The value reported is the sample quantitation limit corrected for sample dilution and moisture content by the laboratory.
- UJ Indicates the compound or analyte was analyzed for and not detected in the sample. Due to a minor QC deficiency identified during the data validation, the associated quantitation limit is an estimate.
- Indicates the compound or analyte was analyzed for and detected. Due to a minor QC deficiency identified during the data validation, the associated concentration is an estimate, but the data are usable for decision-making purposes.
- BJ Applied to inorganic analyses only. Indicates the analyte concentration was greater than the IDL but less than the CRDL and is considered an estimated value.
- R Indicates the compound or analyte was analyzed for, detected, and due to an identified major QC deficiency, the data are unusable.
- UR Indicates the compound or analyte was analyzed for and not detected in the sample. Additionally, the data is unusable due to an identified major QC deficiency.
- NJ Indicates presumptive evidence of a compound at an estimated value. The data may not be valid for some specific applications (i.e., usable for decision-making purposes).
- Indicates presumptive evidence of a compound. The data may not be valid for some specific applications (i.e., usable for decision-making purposes).

Summary of Data Qualification

WET CHEMISTRY DATA QUALIFICATION SUMMARY*

| SDG: H2776 | REVIEWER: TLI | DATE: 11/16/04 | PAGE <u>1</u> OF <u>1</u> |
|------------|---------------------------------------|------------------|---------------------------|
| COMMENTS: | · · · · · · · · · · · · · · · · · · · | | |
| COMPOUND | QUALIFIER | SAMPLES AFFECTED | REASON |
| TPH | J | J01XV2 | RPD |

^{* -} The Qualified Data Summary Table includes laboratory applied "U" qualifiers not specifically identified here. The laboratory applied "U" qualifiers are included to minimize misinterpretation of results contained in the table.

Qualified Data Summary and Annotated Laboratory Reports

| Project: BECHTEL-HA | NFORD | | |] . | | | | | |
|---------------------|---------------|----------|---|----------|---|----------|---|----------|----------|
| Laboratory: LLf | | | |] | | | | | |
| Case | Case SDG: H27 | | | 1 | | · | | | |
| Sample Number | | J01XV2 | | J01XR3 | | J01XR4 | | | |
| Remarks | | | | | | <u> </u> | | | |
| Sample Date | | 10/11/04 | | 10/11/04 | | 10/11/04 | | | 1. |
| Wet Chemistry | RQL | Result | Q | Result | Q | Result | Q | Result | Q |
| TPH | 5 | 1670 | J | NA | | NA | l | | <u> </u> |
| Chromlum VI | 0.1 | 0.26 | | 0.22 | U | 0.22 | U | | |
| | | | | | | | | | |
| | | | | | Ĭ | | | ļ | |
| | | | | | | | | <u> </u> | |
| NA = Not analyzed | | | | l | | | | | |
| | | | | <u> </u> | | 1 | | | |
| | | | | | | 1 | | | 1 |
| | | | | 1 | | | | | |
| | | | | | I | | | | |
| | | 1 | | | T | | | | |

Lionville Laboratory, Inc.

INORGANICS DATA SUMMARY REPORT 10/19/04

CLIENT: TNU-HANFORD B03-015

WORK ORDER: 11343-606-001-9999-00

LVL LOT #: 0410L868

| SAMPLE | SITE ID | ANALYTE | RESULT | UNITS | REPORTING LIMIT | DILUTION FACTOR |
|--------|---------|---|--------|-------|--------------------|-----------------|
| ±===== | | ======================================= | | ===== | ========= | |
| -001 | J01XV2 | % Solids | 94.6 | * | 0.01 | 1.0 |
| | | Chromium VI | 0.26 | MG/KG | 0.21 | 1.0 |
| 1. | | Petroleum Hydrocarbons | 1670 | MG/KG | 877 | 25.0 |
| -002 | J01XR3 | % Solids | 90_6 | 8 | 0.01 | 1.0 |
| | eta j | Chromium VI | 0.22 u | MG/KG | 0.22 | 1.0 |
| 003- | J01XR4 | % Solids | 90_8 | & | 0.01 | 1.0 |
| | | Chromium VI | 0.22 u | MG/KG | 0.22 | 1.0 |
| -004 | J01XR5 | % Solics | 99.5 | ş | 0.03 | 1.0 |

Millor

Laboratory Narrative and Chain-of-Custody Documentation



Analytical Report

Client: TNU-HANFORD B03-015 H 2-776

LVL#: 0410L868 H2776

W.O.#: 11343-606-001-9999-00

Date Received: 10-13-04

INORGANIC NARRATIVE

1. This narrative covers the analyses of 4 soil samples.

- 2. The samples were prepared and analyzed in accordance with the methods checked on the attached glossary.
- Sample holding times as required by the method and/or contract were met.
- 4. The results presented in this report are derived from samples that met LvLI's sample acceptance policy.
- 5. The method blanks for Chromium VI and Petroleum Hydrocarbons (PHC) were within the method criteria.
- 6. The Laboratory Control Samples (LCS) for Chromium VI and PHC were within the laboratory control limits.
- 7. The matrix spike recoveries for Chromium VI were within the 75-125% control limits, however matrix spike recovery for PHC was above the control limit that may be attributed to the high background concentration of the target analyte and the low spike level concentration.
- 8. The replicate analysis Chromium VI was within the 20% Relative Percent Difference (RPD) control limit, however replicate analysis for PHC was outside the control limits that may be attributed to sample inhomogeneity.
- 9. Results for solid samples are reported on a dry weight basis.
- 10. I certify that this sample data package is in compliance with SOW requirements, both technically and for completeness; other than the conditions detailed above. Release of the data contained in this hard copy package has been authorized by the Laboratory Manager or a designee, as verified by the following signature.

Thin Daniels

Laboratory Manager

Lionville Laboratory Incorporated

10/29/04 Date

njp\i10-868

The results presented in this report relate to the analytical testing and conditions of the samples upon receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of 12 pages.

000013

| Bechtel Hanford Inc. | CHAIN OF CU | USTODY/SAMPI | LE ANALYSIS | REQUEST | B03-015-261 | Page 1 of 1 |
|--|------------------------------------|--|----------------------------|------------------------------------|---|---|
| Collector Stankovich/Rivera | Company Contact M Stankovich | Telephone No. 531-7620 | | Project Coordinator KESSNER, JH | Price Code 8B | Data Turnaround |
| Project Designation Remaining Sites Confirmation Sampling-Soil | Sampling Location 100-F-12 | | | SAF No. 1303-015 | Air Quality | 15 Days 15 Days 10/11/04 |
| Ice Chest No. ERC 01 03 0 | Field Logbook No. EL 1578-3 | COA (:10F) | 26700 | Method of Shipment Fed Ex | CKR | 10/11/04 |
| Shinned To LV L L <u>CENTIFICIALINE SERVICES (Formerly TMA)</u> | Offsite Property No. | A050 01 | 3 | Bill of Lading/Air Bill | No. SEE OSP | c |
| POSSIBLE SAMPLE HAZARDS/REMARKS | | | | | 1441.1 20201 2 2242 | |
| | Preservation | | | | | |
| Special Handling and/or Storage | Type of Contain | iner G/P G/I | P G/P aC | 3 G | | |
| Cool 4c | No. of Containe | - ``` | | 1 | | |
| | Volume | 1000 AL 250r | | mL 60mL | | |
| Ŏ | | See iten (1) in See item Special Spec | (2) in Chromium PCBs - | 8082; VOA - 8260A idat (TCL) | | |
| SAMPLE ANALYSIS | | Instructions. Instruc | Markit | idea | | |
| SAMPLE ANALYSIS | | 2/2 | CFR 10/11 | 704 | | |
| | nple Date Sample I | Time | | | | A CONTRACTOR AND A CONTRACTOR |
| J01XR3 SOIL 10/ | 11/04 1035 | XX | | < | | 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| J01XR4 SOIL [0 / | 11/04 1035 | x x | × . | \times | | |
| J01XR5 SOIL 10/ | 7 . 7 | | × > | × | | |
| | | | | | | |
| | | | | | | |
| | Sign/Print Names | | SPECIAL INSTRUCT | IONS | | Matrix * |
| | rived By/Stored III 726 Reb. 2B | 10/11/04 1200 | (1) Gamma Spectroscopy (| (TGL List) (Cesium-137, Col | alt-60, Europiant-152, Europiant- L <u>t. Americiant-24</u> 1; Gross Alpha & | the city of the second second |
| Relinquished By/Removed From Date/Time Reco | eived By/Stored In | Date/Time | Niekel-63; Ismopie Plutoni | un (Platonium 238, Platoniu | 11:259/240 4 Strontium 80,00 | atal Sre- SteState |
| | SOALES SALL. | /0/204 09/00 Date/Time | (2) ICP Metals - 60101'R (| (SW846) [Aluminum, Antime | ranium 225, Uranium 2381) my, Arsenic, Barium, Beryllium, B | Jorun, 0-0ii |
| Relinquished By/Removed From Date/Time Rec | eived By/Stored Til | , isater i une | | | ead, Magnesium, Manganese, Mol madium, Zine): Mercury - 7471 - | yndentun, OSaDum Solids |
| Refinquistred for Bemoved From Date/Time Rec | eived By/Stored In | . Dute/Time | | | | T=Tissue Wi=Wipe |
| Religious and Bran Date/Time Rec | c News | 10-15-04 1007 Date/Time | Personnel not availab | sla to | | L=Liquid V=Vegennian |
| Relinquished By/Removed From Date/Time Rec | eived By/Slored In | Dates Luin. | relinquish samples fr | oni 3728 | | . X=Other |
| Relinquished By/Rengived From Dute/Time Rec | cived By/Stored In | Date/Time | Rel # 2B on 10 / 1 | <u> </u> | | |
| LABORATORY Received By SECTION | | Title | | | | Date/Time |
| FINAL SAMPLE Disposal Method DISPOSITION | | · · · · · · · · · · · · · · · · · · · | Dispused B | у | | Date/Fime |
| | | | | | | |

*:11: 1

Data Validation Supporting Documentation

| Comments: INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) nitial calibrations performed on all instruments? Yes No N/A CV and CCV checks performed on all instruments? Yes No N/A | VALIDATION LEVEL: | Α | В | (c) | D | Е |
|--|----------------------|--|--------------|----------------|-----------------|----------------------------------|
| Anions/IC TOC TOX TPH-418.1 Oil and Grease Alkalinity Ammonia BOD/COD Chloride Chromium-VI pH NOy/NO2 Sulfate TDS TKN Phosphate Dit NOy/NO2 SAMPLES/MATRIX JOLYUZ JOLXR3 JOLXR4 SAMPLES/MATRIX JOLYUZ JOLXR3 JOLXR4 INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) nitial calibrations performed on all instruments? Yes No N/A CV and CCV checks acceptable? Yes No N/A Standards traceable? Yes No N/A Calculation check acceptable? Yes No N/A | PROJECT: 12 | ws 100 | -F-(2 | DATA PACKAG | E: H27 | 76 |
| Anions/IC TOC TOX TPH-418.1 Oil and Grease Alkalinity Ammonia BOD/COD Chloride Chromium-VI pH NO ₃ /NO ₂ Sulfate TDS TKN Phosphate C1+ SAMPLES/MATRIX TO 1 X V Z TO 1 X R 3 TO 1 X R 4 Sechnical verification documentation present? Instruments: Instrument Performance and calibrations performed on all instruments? Yes No N/A CV and CCV checks performed on all instruments? Yes No N/A Standards traceable? Yes No N/A Standards expired? Yes No N/A Salculation check acceptable? Yes No N/A | VALIDATOR: | TLD | LAB: | L | DATE: (//(2 | 104 |
| Amions/IC TOC TOX TPH-418.1 Oil and Grease Alkalinity Ammonia BOD/COD Chloride Chromium-VI pH NO ₂ /NO ₂ Sulfate TDS TKN Phosphate TO1+ SAMPLES/MATRIX TO1XVZ TO1XR3 TO1XR4 I. DATA PACKAGE COMPLETENESS AND CASE NARRATIVE Technical verification documentation present? Comments: INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) Initial calibrations acceptable? Yes No N/ CV and CCV checks performed on all instruments? Yes No N/ CV and CCV checks acceptable? Yes No N/ CAlculation check acceptable? Yes No N/ CAL | | | | SDG: | H2776 | |
| Ammonia BOD/COD Chloride Chromium-VI pH NO ₃ /NO ₂ Sulfate TDS TKN Phosphate TD1+ SAMPLES/MATRIX JOIXUZ JOIXR3 JOIXR4 L. DATA PACKAGE COMPLETENESS AND CASE NARRATIVE Technical verification documentation present? L. INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) nitial calibrations acceptable? CV and CCV checks performed on all instruments? CV and CCV checks acceptable? Yes No N/A Standards traceable? Yes No N/A Standards expired? Yes No N/A Calculation check acceptable? Yes No N/A | | | ANALYSES | PERFORMED | | |
| Sulfate TDS TKN Phosphate TD14 SAMPLES/MATRIX TO 1 X V 2 TO 1 X R 3 TO 1 X R 4 So./ DATA PACKAGE COMPLETENESS AND CASE NARRATIVE Technical verification documentation present? Yes No N/2 Comments: INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) nitial calibrations acceptable? Yes No N/2 CV and CCV checks performed on all instruments? Yes No N/2 CV and CCV checks acceptable? Yes No N/2 Standards traceable? Yes No N/2 Standards traceable? Yes No N/2 Calculation check acceptable? Yes No N/2 Calculation check acceptable? Yes No N/2 Calculation check acceptable? Yes No N/4 | Anions/IC | TOC | тох | TPH-418.1 | Oil and Grease | Alkalinity |
| SAMPLES/MATRIX TOTYV2 TOTYR3 TOTYR4 SOLUTION AND CASE NARRATIVE Technical verification documentation present? INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) Initial calibrations performed on all instruments? Yes No N/A Totype No | Ammonia | BOD/COD | Chloride | Chromium-VI |) _{pH} | NO ₃ /NO ₂ |
| JOIXUZ JOIXR3 JOIXR4 Sc. I. DATA PACKAGE COMPLETENESS AND CASE NARRATIVE Technical verification documentation present? Yes No N/A Comments: I. INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) Initial calibrations performed on all instruments? Yes No N/A III CV and CCV checks performed on all instruments? Yes No N/A CV and CCV checks acceptable? Yes No N/A CV and CCV checks acceptable? Yes No N/A Calculation check acceptable? Yes No N/A | Sulfate | TDS | TKN | Phosphate | (FPH) | |
| JOIXUZ JOIXR3 JOIXR4 Sc. I. DATA PACKAGE COMPLETENESS AND CASE NARRATIVE Technical verification documentation present? Yes No N/A Comments: I. INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) Initial calibrations performed on all instruments? Yes No N/A III CV and CCV checks performed on all instruments? Yes No N/A CV and CCV checks acceptable? Yes No N/A CV and CCV checks acceptable? Yes No N/A Calculation check acceptable? Yes No N/A | | | | | | |
| JOIXUZ JOIXR3 JOIXR4 Sc. I. DATA PACKAGE COMPLETENESS AND CASE NARRATIVE Technical verification documentation present? Yes No N/A Comments: I. INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) Initial calibrations performed on all instruments? Yes No N/A III CV and CCV checks performed on all instruments? Yes No N/A CV and CCV checks acceptable? Yes No N/A CV and CCV checks acceptable? Yes No N/A Calculation check acceptable? Yes No N/A | SAMPLES/MAT) | RIX | | | | |
| I. DATA PACKAGE COMPLETENESS AND CASE NARRATIVE Fechnical verification documentation present? Yes No N/A Comments: INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) nitial calibrations performed on all instruments? Yes No N/A CV and CCV checks performed on all instruments? Yes No N/A CV and CCV checks acceptable? Yes No N/A Standards traceable? Yes No N/A Calculation check acceptable? Yes No N/A Calculation check acceptable? Yes No N/A Calculation check acceptable? Yes No N/A | | | DIXR7 . | TOIXP4 | <u> </u> | |
| I. DATA PACKAGE COMPLETENESS AND CASE NARRATIVE Gechnical verification documentation present? | 7011 | | | <u> </u> | | |
| I. DATA PACKAGE COMPLETENESS AND CASE NARRATIVE Gechnical verification documentation present? | | | | · . | | |
| I. DATA PACKAGE COMPLETENESS AND CASE NARRATIVE Gechnical verification documentation present? | | <u> </u> | | | | |
| I. DATA PACKAGE COMPLETENESS AND CASE NARRATIVE Gechnical verification documentation present? | <u> </u> | | | | 50 | |
| Comments: INSTRUMENT PERFORMANCE AND CALIBRATIONS (Levels D and E) nitial calibrations performed on all instruments? Yes No N/A nitial calibrations acceptable? CV and CCV checks performed on all instruments? Yes No N/A Calculation check acceptable? Yes No N/A Standards traceable? Yes No N/A Standards expired? Yes No N/A Standards expired? Yes No N/A Standards expired? Yes No N/A | | | | <u> </u> | | |
| nitial calibrations performed on all instruments? No N/A nitial calibrations acceptable? CV and CCV checks performed on all instruments? Yes No N/A CV and CCV checks acceptable? Standards traceable? Yes No N/A Standards expired? Yes No N/A Calculation check acceptable? Yes No N/A | | | | ÷ | | Ye No N/A |
| nitial calibrations performed on all instruments? No N/A nitial calibrations acceptable? CV and CCV checks performed on all instruments? Yes No N/A CV and CCV checks acceptable? Standards traceable? Yes No N/A Standards expired? Yes No N/A Calculation check acceptable? Yes No N/A | | | | | | |
| nitial calibrations performed on all instruments? No N/A nitial calibrations acceptable? CV and CCV checks performed on all instruments? Yes No N/A CV and CCV checks acceptable? Standards traceable? Yes No N/A Standards expired? Yes No N/A Calculation check acceptable? Yes No N/A | INICIPIER | ATENIA DELINIZAN NA | ANCE AND CAR | mn a tionic (i | olo D. od. E) | <i></i> |
| nitial calibrations acceptable? Yes No N/A CV and CCV checks performed on all instruments? Yes No N/A CV and CCV checks acceptable? Yes No N/A Standards traceable? Yes No N/A Calculation check acceptable? Yes No N/A Calculation check acceptable? Yes No N/A | | and the second s | | • | • | Ves No N/A |
| CV and CCV checks performed on all instruments? CV and CCV checks acceptable? Standards traceable? Yes No N/A Standards expired? Yes No N/A Calculation check acceptable? Yes No N/A | | | | | | |
| CV and CCV checks acceptable? Yes No N/A Standards traceable? Yes No N/A Standards expired? Yes No N/A Calculation check acceptable? Yes No N/A | | - | | | | 1 |
| Standards traceable? Yes No N/A Standards expired? Yes No N/A Calculation check acceptable? Yes No N/A | | · · | | | | |
| tandards expired? Yes No N/A | tandards traceable | ? | | | | Yes No N/A |
| Calculation check acceptable? | Standards expired?. | | | | | Yes No N/A |
| | | | | | | |
| | · · | - · · · · · · · · · · · · · · · · · · · | | | · · | |

| 3. BLANKS (Levels B, C, D, and E) | |
|---|---------------------------------------|
| ICB and CCB checks performed for all applicable analyses? (Levels D, E) | Yes No N/A |
| ICB and CCB results acceptable? (Levels D, E) | Yes No (N/A) |
| Laboratory blanks analyzed? | |
| Laboratory blank results acceptable? | Yes No N/A |
| Field blanks analyzed? (Levels C, D, E) | Yes No N/A |
| Field blank results acceptable? (Levels C, D, E) | Yes No WA |
| Transcription/calculation errors? (Levels D, E) | Yes No (N/A |
| Comments: | NO FB |
| | • |
| | |
| | · · · |
| | · · · · · · · · · · · · · · · · · · · |
| | |
| 4. ACCURACY (Levels C, D, and E) | |
| 4. ACCURACY (Levels C, D, and E) Spike samples analyzed? | Yes NA |
| Spike recoveries acceptable? | |
| Sike standards NIST traceable? (Levels D, E) | Yes No WA |
| Spike standards expired? (Levels D, E) | Yes No (VA) |
| LCS/BSS samples analyzed? | (Yes No N/A |
| LCS/BSS results acceptable? | Yes No N/A |
| Standards traceable? (Levels D, E) | Yes No N/A |
| Standards expired? (Levels D, E) | Yes No (N/A) |
| Transcription/calculation errors? (Levels D, E) | Yes No N/A |
| Performance audit sample(s) analyzed? | Yes (No) N/A |
| Performance audit sample results acceptable? | Yes No (N/A) |
| Comments: 45 70 303 - Jall liftele | |
| | |
| | |
| | |
| | DO PO |

| 5. PRECISION (Levels C, D, and E) | / | 5 |
|---|--|---------------------------------------|
| Duplicate RPD values acceptable? | | No N/A |
| Duplicate results acceptable? | Yes (| Vo) N/A |
| MS/MSD standards NIST traceable? (Levels D, E) | Yes 1 | No (N/A) |
| MS/MSD standards expired? (Levels D, E) | Yes 1 | No WA |
| Field duplicate RPD values acceptable? | (es) | No N/A |
| Field split RPD values acceptable? | | |
| Transcription/calculation errors? (Levels D, E) | Yes 1 | No 1(/A) |
| Comments: TP + - 4170 - Jolf | | |
| | | |
| FD R3/R4 | | |
| | | · · · · · · · · · · · · · · · · · · · |
| | <u>: </u> | |
| | | , e |
| 6. HOLDING TIMES (all levels) | | |
| Samples properly preserved? | Yes N | No N/A |
| Sample holding times acceptable? | Yes 1 | No N/A |
| Comments: | <u> </u> | |
| | | |
| | | |
| | | |
| | | |
| | · · | |
| | | |

| 7. RESULT QUANTITATION | N AND DETECTION | I LIMITS (all levels | s) | | |
|--|-----------------|----------------------|------------|---------------------------------------|-------------|
| Results reported for all requested analy | | | | | |
| Results supported in the raw data? (Le | vels D, E) | | ********** | Yes N | o (N/A) |
| Samples properly prepared? (Levels D | , E) | | | Yes N | O (N/A) |
| Detection limits meet RDL? | | | | Yes 🔃 | D N/A |
| Transcription/calculation errors? (Leve | | | | | |
| Comments: all CRI | F over | | | | |
| | | | | | |
| | • | | | | |
| | | | | · · · · · · · · · · · · · · · · · · · | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Additional Documentation Requested by Client

INORGANICS METHOD BLANK DATA SUMMARY PAGE 10/19/04

CLIENT: TNU-HANFORD B03-015

LVL LOT #: 0410L868

WORK ORDER: 11343-606-001-9999-00

| | | | | | REPORTING | DITULION | |
|--------|--------------|------------------------|---------|-------|-----------|----------|--|
| SAMPLE | SITE ID | ANALYTE | RESULT | UNITS | LIMIT | FACTOR | |
| ====== | | **====== | | | | | |
| BLANK1 | 04LVI033-MB1 | Chromium VI | 0.20 u. | MG/KG | 0.20 | 1.0 | |
| | | | | | | | |
| BLANK1 | 04LHC048-MB1 | Petroleum Hydrocarbons | 33.3 u | MG/KG | 33.3 | 1.0 | |

INORGANICS ACCURACY REPORT 10/19/04

CLIENT: TNU-HANFORD B03-015

LVL LOT #: 0410L868

WORK ORDER: 11343-606-001-9999-00

| | | | SPIKED | INITIAL | SPIKED | | DILUTION |
|---------|--------------|------------------------|--------|---------|--------|--------|---|
| SAMPLE | SITE ID | ANALYTE | SAMPLE | RESULT | AMOUNT | %RECOV | FACTOR (SPK) |
| = | £22422222222 | | | | ===== | | ======================================= |
| -001 | J01XV2 | Petroleum Hydrocarbons | 2120 | 1670 | 147 | 303.4* | 25.0 |
| -002 | J01XR3 | Soluble Chromium VI | 4.6 | 0.22u | 4.4 | 105.9 | 1.0 |
| | | Insoluble Chromium VI | 1490 | 0.22u | 1430 | 104.0 | 100 |
| BLANK10 | 04LVI033-MB1 | Soluble Chromium VI | 3.9 | 0.20u | 4.0 | 98.7 | 1.0 |
| | | Insoluble Chromium VI | 1230 | 0.20u | 1200 | 101.9 | 100 |
| LCS10 | 04LHC048-LC1 | Petroleum Hydrocarbons | 134 | 33.3 u | 140 | 95.7 | 1.0 |
| | | | | | | | |

INORGANICS PRECISION REPORT 10/19/04

CLIENT: TNU-HANFORD B03-015

LVL LOT #: 0410L868

WORK ORDER: 11343-606-001-9999-00

| | | • | INITIAL | • | | DILUTION | • |
|---------|---------|---|---------|-----------|--------|--------------|---|
| SAMPLE | SITE ID | ANALYTE | RESULT | REPLICATE | RPD | FACTOR (REP) | |
| ===a=== | | ======================================= | ======= | ======= | ====== | ********* | : |
| -001REP | J01XV2 | Petroleum Hydrocarbons | 1670 | 2540 | 41.3 | 25.0 | |
| -002REP | J01XR3 | Chromium VI | 0.22u | 0.22u | NC | 1.0 | |

Date: 16 November 2004

To: Bechtel Hanford Inc. (technical representative)

From: TechLaw, Inc.

Project: Remaining Sites Confirmation Sampling - Soil - Waste Site 100-F-12

Subject: PAH - Data Package No. H2776-LLI (SDG No. H2776)

INTRODUCTION

This memo presents the results of data validation on Data Package No. H2776-LLI prepared by Lionville Laboratory Inc. (LLI). A list of samples validated along with the analyses reported and the method of analysis is provided in the following table.

| Sample ID | Sample Date | Media | Validation | Waste Site | Analysis |
|-----------|-------------|-------|------------|------------|------------|
| J01XV2 | 10/11/04 | Soil | С | 100-F-12 | See note 1 |

¹⁻ Polyaromatic hydrocarbons (PAH) by 8310C.

Data validation was conducted in accordance with the Bechtel Hanford Incorporated (BHI) validation statement of work and the Data Quality Objectives Summary Report for 100/300 Area Remaining Sites Analytical Sampling Effort, (BHI-01249, Rev. 3, March 2003). Appendices 1 through 5 provide the following information as indicated below:

Appendix 1. Glossary of Data Reporting Qualifiers

Appendix 2. Summary of Data Qualification

Appendix 3. Qualified Data Summary and Annotated Laboratory Reports

Appendix 4. Laboratory Narrative and Chain-of-Custody Documentation

Appendix 5. Data Validation Supporting Documentation

DATA QUALITY OBJECTIVES

Holding Times

Analytical holding times were assessed to ascertain whether the holding time requirements were met by the laboratory. The holding time requirements are as follows: Soil samples must be extracted within 14 days of the date of sample collection and analyzed within 40 days from the date of extraction.

If holding times are exceeded, but not by greater than two times the limit, all associated sample results are qualified as estimates and flagged "J" for detects and "UJ" for non-detects. If holding times are exceeded by greater than two times the

limit, all associated detectable sample results are qualified as estimates and flagged "J" and all non-detects are rejected and flagged "UR".

All holding times were met.

Method Blanks

Method blank analyses are conducted to determine the extent of laboratory contamination introduced through sampling, sample preparation and analysis. At least one acceptable method blank analysis must be conducted for every 20 samples. No contaminants should be present in the method blank. Analytical results for analytes present in any sample at less than five times the concentration of that analyte found in the associated blank are qualified as non-detects and flagged "U". Common laboratory contaminants present in samples at less than ten times the concentration of that analyte found in the associated blank are qualified as non-detects. If a sample result is less than the CRQL and is less than five times (or less than ten times for lab contaminants) the highest associated blank result, the sample result value is raised to the CRQL level and qualified as undetected "U".

All method blank results were acceptable.

Field Blanks

No field blank was submitted for analysis.

Accuracy

Matrix Spike/Matrix Spike Duplicate & Blank Spike Recoveries

Matrix spike/matrix spike duplicate analyses are used to assess the analytical accuracy of the reported data and the effect of the matrix on the ability to accurately quantify sample concentrations. Matrix spike/matrix spike duplicate analyses are performed in duplicate using five compounds for which percent recoveries must be within a range of 50-150% or within laboratory control limits. If spike recoveries are outside control limits, detected sample results less than five times the spike concentration are qualified as estimates and flagged "J". Undetected sample results with spike recoveries outside control limits are qualified as estimates and flagged "UJ". Sample results greater than five times the spike concentration require no qualification.

Due to the MS and MSD being diluted out, all PAH results were qualified as estimates and flagged "J".

All other accuracy results were acceptable.

Surrogate Recovery

The analyses of surrogate compounds provide a measure of performance for individual samples. Matrix-specific surrogate compound recovery control windows have been established by the EPA CLP program. If two surrogates of the same class of compounds (base/neutral or acid) are out of control limits, all associated sample results greater than the contract required quantitation limit (CRQL) are qualified as estimates and flagged "J". Sample results less than the CRQL and below the lower control limit are qualified as estimates and flagged "UJ". Sample results less than the CRQL with recoveries above the upper control limit require no qualification. If a surrogate recovery is less than 10%, detects are qualified as estimates and flagged "J" and nondetects are rejected and flagged "UR".

Due to the surrogate being diluted out, all PAH results were qualified as estimates and flagged "J".

Precision

Matrix Spike/Matrix Spike Duplicate Samples

Matrix spike (MS)/matrix spike duplicate (MSD) results provide matrix-specific information on the precision of the method for specific target compound classes. Precision is expressed by the relative percent difference (RPD) between the recoveries of duplicate matrix spike analyses performed on a sample.

Samples results must be within RPD limits of +/-30%. If RPD values are out of specification and the sample concentration is less than five times the spike concentration, all associated detected sample results are qualified as estimates and flagged "J". If RPD values are out of specification and the sample concentration is greater than five times the spike concentration, no qualification is required.

Due to the MS and MSD being diluted out, all PAH results were qualified as estimates and flagged "J".

Field Duplicate Samples

No field duplicates were submitted for analysis.

Analytical Detection Levels

Reported analytical detection levels are compared against the required quantitation limits (RQL's) to ensure that laboratory detection levels meet the required criteria. Three analytes exceeded the RQL. Under the BHI statement of work, no qualification is required.

Completeness

Data package No. H2776-LLI was submitted for validation and verified for completeness. Completeness is based on the percentage of data determined to be valid (i.e., not rejected). The completion percentage was 100%.

MAJOR DEFICIENCIES

None found.

MINOR DEFICIENCIES

Due to the MS and MSD being diluted out, all PAH results were qualified as estimates and flagged "J". Due to the surrogate being diluted out, all PAH results were qualified as estimates and flagged "J". Data flagged "J" indicates that the associated concentration is an estimate, but under the BHI statement of work, the data may be usable for decision-making purposes. All other validated results are considered accurate within the standard error associated with the methods.

Three analytes exceeded the RQL in all samples. Under the BHI statement of work, no qualification is required.

REFERENCES

BHI, MRB-SBB-A23665, *Validation Statement of Work*, Bechtel Hanford Incorporated, September 5, 1997.

BHI-01249, Rev. 3, Data Quality Objectives Summary Report for 100/300 Area Remaining Sites Analytical Sampling Effort, Bechtel Hanford Incorporated, March 2003.

Glossary of Data Reporting Qualifiers

Qualifiers which may be applied by data validators in compliance with the BHI validation SOW are as follows:

- Indicates the compound or analyte was analyzed for and not detected in the sample. The value reported is the same quantitation limit corrected for sample dilution and moisture content by the laboratory.
- UJ Indicates the compound or analyte was analyzed for and not detected in the sample. Due to a minor QC deficiency identified during the data validation, the associated quantitation limit is an estimate.
- Indicates the compound or analyte was analyzed for and detected. Due to a minor QC deficiency identified during the data validation, the associated quantitation limit is an estimate.
- R Indicates the compound or analyte was analyzed for, detected, and due to an identified major QC deficiency, the data are unusable.
- UR Indicates the compound or analyte was analyzed for and not detected in the sample. Additionally, the data is unusable due to an identified major QC deficiency.
- NJ Indicates presumptive evidence of a compound at an estimated value. The data may not be valid for some specific applications (i.e., usable for decision-making purposes).
- Indicates presumptive evidence of a compound. The data may not be valid for some specific applications usable for decision-making purposes).

Summary of Data Qualification

PAH DATA QUALIFICATION SUMMARY*

| SDG: H2776 | REVIEWER: TLI | DATE: 11/16/04 | PAGE_1_OF_1_ |
|------------|------------------|------------------|--------------------------|
| COMMENTS: | · | | |
| COMPOUND | QUALIFIER | SAMPLES AFFECTED | REASON |
| All | J | All | MS/MSD diluted out |
| All | J | All | Surrogate diluted out |

^{* -} The Qualified Data Summary Table includes laboratory applied "U" qualifiers not specifically identified here. The laboratory applied "U" qualifiers are included to minimize misinterpretation of results contained in the table.

Qualified Data Summary and Annotated Laboratory Reports

| 0000 |
|------|
| |
| C |
| |
| |

| Project: BECHTEL-HANF | | | | | : | | | | | | • |
|---------------------------|-------|----------|----|--------|---|--------|----------|--------|-----|--------|----------|
| Laboratory: Lionville Lab | orato | ry Inc. | |] . | | | | | | | |
| Case: | SDG: | H2776 | | | | | | · | · | | |
| Sample Number | | J01XV2 | | | | | | | | | |
| Remarks | | | | | | | | | | | |
| Sample Date | | 10/11/04 | • | | | | | | | | |
| Extraction Date | | 10/20/04 | | | | | | | | | |
| Analysis Date | | 10/26/04 | | | | | | | · · | | |
| PAH (8310) | MDL | | ø | Result | Q | Result | Q | Result | Q | Result | Q |
| Napthalene | 15 | 1060 | UJ | | | | | | | | |
| Acenaphthylene | 15 | 1060 | IJ | | | | | | | |] · |
| Acenaphthene | 15 | 1060 | UJ | | | | | | | | |
| Fluorene | 15 | 350 | J | | | | | | | | |
| Phenanthrene | 15 | 3000 | J | | | | | | | | |
| Anthracene | 15 | 590 | J | | | | | | | | |
| Fluoranthene | 15 | 6900 | J | | | | | | 1. | | |
| Pyrene | 15 | 5800 | J | | | | | | | | |
| Benzo(a)anthracene | 15 | 2600 | J | | | | | | | | |
| Chrysene | 15 | 3300 | J | | | | <u> </u> | | | | <u> </u> |
| Benzo(b)fluoranthrene | 15 | 2700 | J | | | | T | | | | |
| Benzo(k)fluoranthrene | 15 | 1100 | J | | | 1 | | | | | |
| Benzo(a)pyrene | 16 | 2300 | J | | | | | | | | |
| Dibenzo(a,h)anthracene | 15 | 360 | J | · . | | | | 1 | | | |
| Benzo(ghi)perylene | 15 | 1100 | J | | | | | | | | |
| Indeno(1,2,3-cd)pyrene | 15 | 1000 | J | | | | | | | | |

PAH'S by HPLC / Method 8310

Report Date: 10/27/04 12:29 Client: TNU-HANFORD B03-015.#2776Work Order: 11343606001 Page: 1 RFW Batch Number: 0410L868

| | Cust ID: | J01XV2 | | J | 01XV2 | | J01XV2 | | BLK | | BLK BS | | |
|---|---|---------------------------|-------|----------|-----------------------------|--------|--------------------------------|--------|--------------------------------------|-----|-----------------------------------|-----|--------------|
| Sample Information | RFW#: Matrix: D.F.: Units: | 001 SOIL 10. ug/ | 0 . | C | 01 MS SOIL 10. ug/ | .0 | 001 MSD SOIL 10. ug/k | 0 | 04LE1291-ME SOIL 1.00 ug/kg | 0 | 04LE1291-M SOIL 1.0 ug/k | 0 | |
| | riphenylene | D | 왕 | | D | ક | D | ક | 120 | ४ | 113 | 8 | |
| **** | | ****** | ==fl= | | *** | ==fl== | | | | | | | :=========fl |
| Naphthalene | | 1060 | | 7 | D | 웅 | D | & - | 100 | U | . 94 | . ક | |
| Acenaphthylene | | 1060 | ซ | } . | D | ૪ | D | 8 | 100 | Ü | 90 | * | |
| Acenaphthene | | 1060 | U | 1 | D | ૪ | , D | & | 100 | U | 106 | * | |
| Fluorene | | 350 | | 1 | D | 8 | D | 8 | 5.00 | ָּט | 110 | 8 | • • |
| Phenanthrene | · · · · · · · · · · · · · · · · · · · | 3000 | | 1 | D | % | D | ક્ષ | 5.00 | U | 110 | ક્ષ | |
| Anthracene | | 590 | | 1 | D | ક્ષ | D | 8 | 5.00 | ט | 116 | ૪ | |
| Fluoranthene | | 6900 | | 1 | D | 8 | D | ક | 10.0 | U | 108 | 8 | • |
| Pyrene | | 5800 | | | ď | 왕 | , D | ક્ષ | 10.0 | U | 106 | * | |
| Benzo (a) anthracene | | 2600 | | | D ' | ४ | D | ૪ | 5.00 | U | 106 | ° | |
| Chrysene | | 3300 | | | מ | 8 | D | 8 | 5.00 | Ū | 100 | 왕 | |
| Benzo (b) fluoranthrene | *************************************** | 2700 | | İ | D | ક | D. | જ | 5.00 | ש | 106 | ક્ષ | |
| | | 1100 | | 1 | ם | ૄ | D | ક | 5.00 | U | 110 | % | |
| Benzo (k) fluoranthrene Benzo (a) pyrene | • | 2300 | | 1 | D | 왕 | D | ૪ | 5.00 | U | 109 | ૪ | |
| Dibenzo(a,h)anthracen | <u> </u> | 360 | | 1 | ם | · R | ם | 8 | 5.00 | Ü | 107 | 8 | |
| Benzo (ghi) perylene | | 1100 | | , | D | % | ם מ | 8 | 5.00 | Ü | | 9 | • |
| Indeno(1,2,3-cd)pyren | | 1000 | | 7 | D | 9 | ā | 8 | 5.00 | Ü | 105 | . & | • |

U= Analyzed, not detected. J= Present below detection limit. B= Present in blank. NR= Not reported. NS= Not spiked. %= Percent recovery. D= Diluted out. I= Interference. NA= Not Applicable. *= Outside of EPA CLP QC

Laboratory Narrative and Chain-of-Custody Documentation



Analytical Report

Client: TNU HANFORD B03-015

LVL#: 0410L868

SDG/SAF#: H2776/B03-015

W.O.#: 11343-606-001-9999-00

Date Received: 10-13-2004

PAH

One (1) soil sample was collected on 10-11-2004.

The sample and its associated QC samples were extracted on 10-20-2004 and analyzed according to criteria set for the in Lionville Laboratory SOPs based on SW846, 3rd Edition for Polyaromatic Hydrocarbons on 10-20-2004. The extraction procedure was based on method 3540C and the extracts were analyzed based on method 8310.

The following is a summary of the QC results accompanying the sample results and a description of any problems encountered during their analyses:

- 1. All results presented in this report are derived from a sample that met LvLI's sample acceptance policy.
- 2. The sample was extracted and analyzed within required holding time.
- 3. The method blank was below the reporting limits for all target compounds.
- 4. All obtainable surrogate recoveries were within acceptance criteria.
- 5 All blank spike recoveries were within acceptance criteria.
- 6. The matrix spike recoveries were unobtainable due to the dilution required for the analyses.
- 7. The sample required a 10-fold instrument dilution due to high concentration of target analytes. The reporting limits were adjusted to reflect the necessary dilution.
- 8. All initial calibrations associated with this data set were within acceptance criteria.
- 9. All continuing calibration standards analyzed prior to sample extracts were within acceptance criteria.
- 10. I certify that this sample data package is in compliance with SOW requirements, both technically and for completeness, other than the conditions detailed above. Release of the data contained in this hard-copy data package has been authorized by the laboratory Manager or a designee, as verified by the following signature.

Iain Daniels

Laboratory Manager

Lionville Laboratory Incorporated

som\r_\group\data\pah\tmu hanford\0410-868.doc

The results presented in this report relate only to the analytical testing and conditions of the samples at receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of 8 pages.

02

| Bechtel Hanford | Inc. | CH | AIN OF CUSTO | ODY/SA | MPLE | ANALY | SIS REC | OUEST | | B03-0 | 15-262 | 5-262 Page 1 of 1 | | |
|--|--|------------------|---------------------------------------|---|------------------------|--|-----------------------------|---------------------------------|---------------------|--|------------------|-------------------|--|--|
| llector Stankovich/Rivera | | Compar | r Contact nkovich | Telenhone 531-762 | No. | | Proje | ct Coordinat NER, JH | or Pric | e Code - E |)13 - | Data Turns | | |
| olect Designation Remaining Sites Confirmation ! | Sampling-Soil | Samplir 100-1 | e Location | | | | SAF B03- | No. 015 | Air Quality 15 Days | | | | | |
| c Chest No. ERC O | ····································· | | ogbook No. 578-3 | | COA C10F12670 | 0 | | od of Shipm d Ex | ent | | CKE | 10/11/01 | † | |
| ninned To LVLI | | | _ | 250 o | | | | of Lading/Al | r Bill No. | 556 | OSF | , , | | |
| POSSIBLE SAMPLE HAZAR | | | | | | | | | | | | [| | |
| | | . • | Preseryation | | | | | | | | | | | |
| Special Handling and/or St | torage | | Type of Container | G/P | G/P | aG ∵ | Da | G | | • | | | | |
| Cool 4c | ioi age | | No. of Container(s) | | l | 1 | ı | l | | | | | | |
| | | | Volume 10-12 | 250ml | 120mL | 250mL | 250mL | 250mL | | | | | | |
| | SAMPLE ANAL | vere | | See item (1) in Special Instructions. | Chromium Hex - 719h | PCBs - 8082; Retricides - 8081; Chiero - Harbioldes | PAHs - 8310 | TPH (Total) - 418.1 | | | | | | |
| | | 1313 | | | | EPASIST CKP 10/11/04 | | | | | | | | |
| Sample No. | Matrix * | Sample Date | Sample Time | | | | | | 本本物語 | | | | 748404 | |
| J01XV2 | SOIL | 10/11/01 | 1 0920 | X | Х | × | × | X | | | | | | |
| | | | | | | | <u> </u> | <u> </u> | | | - | | | |
| | | | | <u> </u> | | | | - | | _ | | | | |
| | <u> </u> | | · · · · · · · · · · · · · · · · · · · | _ | | | | | | | + | | + | |
| CHAIN OF POSSESSI | ON . | l Sign/Pr | int Names | | SP | ECIAL INST | RUCTION | S | .L | | | | Matri | |
| Relinquished By/Removed From Chris Rivea Chris Rivea | Date/Time | Received By/S | tored in 11. 28 10/11/0 | Date/Time 94 132 Date/Time |) (i) | ICP Metals - (idmium, Calcium ickel, Potassium | 5010TR (SW& n. Chronium. | 46) [Aluminum Coball, Copper | Iron, Lead, I | Magnesium, M | langanese, Mo | olybdenum. | S≈Soil SE≈Sedin SO=Solid SI=Sludg | |
| Relinquished By/Removed From REF 2B 3728 | 101204 09 | 00 SIGH | XM DM-10 | 1204 0 | | | | | | | • | | W = Wa O=Olt A=Air | |
| Relinquished By/Renyoyed Brom | Date/Time 10/2 04 09 | Received By | Stored fit DEX | Date/Time | | | | | | | | | DS=Dru D1.=Dru T=Tissu | |
| Retinquisited By/Removed From | Date/Time 0/3-04 1005 | Received By/ | Stored in | Date/Time S-04) (| 005 | Personnel no | a nimilahla te | · . | | | | | WI-Wi L-Liqu V-Vegi | |
| Relinquished By/Removed From | Date/Time | Received By | | Date/Time | | relinquish su Ref # Z Sor | mples from | 3728 | | | | | x=oth | |
| Relinquished By/Removed From | Date/Time | Received By | Stored In | Date/Time | | | | · | | | · | | | |
| LABORATORY Received | l Ву | | | | Title | | | | | | | Date/l'ime | - | |
| | l Method | | <u> </u> | | | , Г | isposed By | | | | | Date/Time | • | |
| | | | | | | | | | | | | | A . | |

| Bechtel Hanford Inc. | CHA | IN OF CUSTO | SIS REC | UEST | JEST B03-015- | | | Page 1 of | T | | | |
|---|---|---------------------|-----------------------------------|---|--|--|---|-------------------------|----------------------------------|---------------------------------------|--|---|
| ector lankovich/Rivera | Company (M Stank | Contact | Telenhon 531-76 | e No. | | Project KESS | Project Coordinator KESSNER, JH | | | ce Cade 8B | | around |
| lect Designation temaining Sites Confirmation Sampling-Soil | Sampling 1 100-F-1 | | · | | | SAF I 1303-0 | | Air | Quality | 11 | 15 Day | |
| Chest No. ERC 01 03 0 | Field Logi EL 1578 | | | COA: C10F126 | 700 | Fee | od of Shipmen I Ex | | | CRIN | 10/11/0 |)Y ——— |
| Inned To LVLL EDITION LINE SERVICES (Formerly Tiving) | Offsite Pr | onerty No. AC | 50 | 013 | , , | Bill | of Lading/Air | Bill No. | See | 059 | <u></u> | · - |
| OSSIBLE SAMPLE HAZARDS/REMARKS | | Preservation | | \mathbb{N} | | | | I | | 1 | 1 | |
| pecial Handling and/or Storage | | Type of Container | G/P | G/P | G/P | аG | G | | | | | |
| Cool 4c | . [| No. of Container(s) | 1 | 1 | 1 | 1 | (O-1) (P) | | : | | | |
| | | Volume | 1000 if L | B | 0 | 250mL | 60nt. 10 A V 0 | | | | | |
| SAMPLE ANALYSIS | | | See iten (1) Special Instruction | Special | Hex - 7196 | PCBs - 8082; Pesticides— 8021; Chiore Herbiddes— EPARISI C.F.R. 10/11/07 | (TCL) | | | | | |
| | mple Date | Sample Time | 3/2 | 7.34 | 基本 | | | | (1) 學第 | 3.44 | · 注意。 | ai L |
| 01XR3 SOIL 10/ | 11/04 | 1035 | X | | X | X | | | <u> </u> | <u> </u> | | |
| 101XR4 SOIL (0/ | 11/04 | 1035 | × | · × | <u> </u> | X | | | | <u> </u> | | <u> </u> |
| 01XR5 SOIL 10/ | 11/04 | 1030 | | - | | <u>×</u> | | <u> </u> | - | | | 1. |
| | | | 1 | | | | | | | | | |
| Chris Rivea Chriskivea 10/11/04 1200 3 | Sign/Print coived By/Store 5724 Received By/Store | th 2B 10/1 | Date/Time | .) 00 | SPECIAL INST (1) Gamma Speci Europium-1551; C Wickel 65; Isonopi | roscopy (TCL) | List) (Cesium-13' \dd-m (Americi \atonlum-238, Pl | m-2414-7 nonlum-23 | Smericium 241 19/240 (Stront | ; Gross Alpha ium 89,00 | i & Ciross Beta; Total Ery | Matrix s=sell sn=selle sn=selle sn=shelge |
| REF 2 B 3728 1012 04 0900 S Relinquished By/Removed From Date/Time Re- 610ALESIMAL 1012 04 0900 7 | JOALS colved By/Stor | cd fii | Date/Time | 0900 | Technetium??; le (2) ICP Metals - Cadmium, Calcin Nickel, Potassium | 6010TR (SW8 m, Chromium, | 46) (Aluminum, A Cobalt, Copper, I | Antimony, ron, Lead, | Arsenic, Barius Magnesium, M | n, Beryllium, langanese, M | Boron, olyhdemun, | W = Wate O=Oli A=Air OS=Drai OL=Orai T=Tissa |
| 10-13-04 1005 A | cceived By/Sto | 10- | Date/Time -/3 -04 Date/Time | 1007 | Personnel no | | | | | | | X+Othi |
| | teccived By/Sto | red In | Date/Time | | relinquish so Ref # 2B or | | | | | | | |
| 1 | | | | | | | | | | | | |

Data Validation Supporting Documentation

| VALIDATION LEVEL: | Α | В | <u>G</u> | D | E |
|----------------------------------|---------------------------------------|---|--------------------|--|---------------------------------------|
| PROJECT: (2) | NS 100 F 12 | 7- FTTING | DATA PACKAG | E: H270 | 17C |
| VALIDATOR: | 117 | LAB: LLI | | DATE: ((/ | 12/04 |
| | | | SDG: | H276 | 12/mg |
| | | ANALYSES | PERFORMED | | |
| 8015 | 8021 | 8141 | 8151 | 8315 | 8310 |
| | | WTPH-HCID | WTPH-G | WTPH-D | |
| | | | | | |
| SAMPLES/MATI | RIX: | • | | | |
| MOT | 12 | _ | | ······································ | |
| | | | | | |
| | | _ | | | |
| | X . | | | | |
| <u> </u> | | - | • | | Soil |
| Technical verification Comments: | on documentation p | resent? | CASE NARRATIV | | Yes No N/A |
| | | 17 | | | · · · · · · · · · · · · · · · · · · · |
| · | | | | | |
| | · · · · · · · · · · · · · · · · · · · | | | | · · · · |
| 2. INSTRUM | | | ON (Levels D and E | | Yes No N/A |
| Continuing calibrati | | | | | |
| Standards traceable | · ? | *************************************** | | | Yes No N/A |
| Standards expired?. | | | | | 1 |
| Calculation check a | cceptable? | •••••• | | | Yes No N/A |
| Comments: | <u> </u> | | | | $\overline{}$ |
| | | - | | | |

| 3. BLANKS (Levels B, C, D, and E) | | | |
|---|---------------------------------------|-------------------|--|
| Calibration blanks analyzed? (Levels D, E) | Yes | No | N/A |
| Calibration blank results acceptable? (Levels D, E) | Yes | No | N/A |
| Laboratory blanks analyzed? | (Yes | No | N/A |
| Laboratory blank results acceptable? | Yes | No | N/A |
| Field/trip blanks analyzed? (Levels C, D, E) | Yes | No | N/A |
| Field/trip blank results acceptable? (Levels C, D, E) | Yes | No | WA |
| Transcription/calculation errors? (Levels D, E) | Yes | No | (V)A |
| Comments: | No F | R | |
| | · · · · · · · · · · · · · · · · · · · | | |
| | | | · |
| | | | |
| | | | ? |
| | | | • . |
| 4. ACCURACY (Levels C, D, and E) | | | |
| Surrogates/system monitoring compounds analyzed? | Yes | No | N/A |
| Surrogate/system monitoring compound recoveries acceptable? | Yes(| \widehat{N}_{0} | N/A |
| Surrogates traceable? (Levels D, E) | Yes | No | N/A |
| Surrogates expired? (Levels D, E) | Yes | No | (V/A) |
| MS/MSD samples analyzed? | | No | N/A |
| MS/MSD results acceptable? | | | |
| MS/MSD standards NIST traceable? (Levels D, E) | Yes | No | (V/A) |
| MS/MSD standards expired? (Levels D, E) | Yes | No | N/A |
| LCS/BSS samples analyzed? | Yes | No | N/A |
| LCS/BSS results acceptable? | (7% | No | N/A |
| Standards traceable? (Levels D, E) | Yes | No / | N/A) |
| Standards expired? (Levels D, E) | Yes | No | NA. |
| Transcription/calculation errors? (Levels D, E) | Yes | No | |
| Performance audit sample(s) analyzed? | Yes | No | N/A |
| Performance audit sample results acceptable? | Yes | No | NA |
| Comments: Sur delaled on - Jal | | | |
| Ms- delated out - Jall | | | |
| | · | | <u>. </u> |
| | | <u> </u> | |
| | - 100 PA | 5 | |

| 5. PRECISION (Levels C, D, and E) | |
|---|---------------|
| Duplicate RPD values acceptable? | Yes (No N/A |
| Duplicate results acceptable? | Yes (N) N/A |
| MS/MSD standards NIST traceable? (Levels D, E) | Yes No (N/A) |
| MS/MSD standards expired? (Levels D, E) | Yes No NA |
| Field duplicate RPD values acceptable? | _ |
| Field split RPD values acceptable? | |
| | |
| Transcription/calculation errors? (Levels D, E) | $\overline{}$ |
| | |
| | |
| | |
| | |
| | |
| | |
| 6. HOLDING TIMES (all levels) | |
| Samples properly preserved? | Yes No N/A |
| Sample holding times acceptable? | (Yes) No N/A |
| Comments: | |
| | |
| | |
| | |
| | |
| | |
| | |

| 8. COMPOUND IDENTIFICATION, QUANTITATION, AND DETECTION LIMIT | S (all lev | els) |
|---|-------------|--------|
| Results reported for all requested analyses? | (Yes | No N/A |
| Rresults supported in the raw data? (Levels D, E) | Yes | No NA |
| Samples properly prepared? (Levels D, E) | | |
| Detection limits meet RDL? | Yes | No N/A |
| Transcription/calculation errors? (Levels D, E) | Yes | No N/A |
| Comments: all undetes are - 3 | | |
| | <u> </u> | |
| | | ··· |
| | | |
| | <u> </u> | · |
| | | • |
| 9. SAMPLE CLEANUP (Levels D and E) | | |
| Fluoricil ® (or other aborbant) cleanup performed? | Yes | No(N/A |
| Lot check performed? | Yes | No N/A |
| Check recoveries aceptable? | Yes | No N/A |
| Check materials traceable? | Yes | No N/A |
| Check materials Expired? | Yes | No N/A |
| Analytical batch QC given similar cleanup? | Yes | No N/A |
| Transcription/Calculation Errors? | Yes | Nd N/A |
| Comments: | | |
| | | |
| | | |
| | | |
| | | |

Date:

16 November 2004

To:

Bechtel Hanford Inc. (technical representative)

From:

TechLaw, Inc.

Project:

Remaining Sites Confirmation Sampling - Soil - Waste Site 100-F-12

Subject: Radiochemistry - Data Package No. H2776-EB (SDG No. H2776)

INTRODUCTION

This memo presents the results of data validation on Data Package No. H2776 prepared by Eberline Services Inc. (EB). A list of samples validated along with the analyses reported and the method of analysis is provided in the following table.

| Sample ID | Sample Date | Media | Validation | Waste Site | Analysis |
|-----------|-------------|-------|------------|------------|------------|
| J01XR3 | 10/11/04 | Soil | С | 100-F-12 | See note 1 |
| J01XR4 | 10/11/04 | Soil | С | 100-F-12 | See note 1 |

^{1 -} Gamma spectroscopy, gross alpha/beta.

Data validation was conducted in accordance with the Bechtel Hanford Incorporated (BHI) validation statement of work and the Data Quality Objectives Summary Report for 100/300 Area Remaining Sites Analytical Sampling Effort, (BHI-01249, Rev. 3, March 2003). Appendices 1 through 6 provide the following information as indicated below:

- Appendix 1. Glossary of Data Reporting Qualifiers
- Appendix 2. Summary of Data Qualification
- Appendix 3. Qualified Data Summary and Annotated Laboratory Reports
- Appendix 4. Laboratory Narrative and Chain-of-Custody Documentation
- Appendix 5. Data Validation Supporting Documentation
- Appendix 6. Additional Data Requested by Client

DATA QUALITY PARAMETERS

Holding Times

Holding times are calculated from Chain-of-Custody forms to determine the validity of the results. The maximum holding time for radiochemical analysis is 6 months.

All holding times were acceptable.

Preparation (Method) Blanks

Laboratory Blanks

Blank samples are analyzed to determine if positive results are due to laboratory reagent, sample container, or detector contamination. If blank analysis results indicate the presence of an analyte above the minimum detectable activity (MDA), the following qualifiers are applied: All positive sample results less than five times the highest blank concentration are qualified as estimates and flagged "J"; sample results below the MDA are qualified as undetected and flagged "U"; sample results above the MDA and greater than five times the highest blank concentration are not qualified.

All blank results were acceptable.

Field (Equipment) Blank

No equipment blanks were submitted for analysis.

Accuracy

Accuracy is evaluated from laboratory control sample (LCS) or blank spike sample (BSS) batch samples and spiked samples from the analytical batch. Measured activities are compared to the known added amounts. The acceptable LCS or BSS and matrix spike (MS) recovery range is 70-130%. In addition, samples may be spiked with a radiochemical tracer to assist in isolating the radioisotope of interest with the yield of the tracer being used in calculating sample activity. The acceptable range for tracer recovery is 20% to 105%. Spike sample results outside the above ranges result in associated sample results being qualified as estimates, or not qualified, depending on the activity of the individual sample. Results are rejected for LCS/BSS recoveries of less than 30% and tracer recoveries of less than 20%, and tracer recoveries of greater than 115% for detected results.

All accuracy results were acceptable.

Laboratory Duplicates

Analytical precision is expressed by the relative percent differences (RPD) between the recoveries of duplicate matrix spike analyses performed on a sample in the analytical batch. Precision may alternatively be assessed using unspiked duplicate analyses performed on a sample in the analytical batch. If both sample and replicate activities (concentrations) are greater than five times the contract required detection limit (CRDL) and the RPD is less than 30%, no qualification is required. If either activity (concentration) is less than five times the CRDL, the RPD control limit

is less than or equal to two times the CRDL. If the RPD is outside the applicable control limit, associated results are qualified as estimated detects or estimated non-detects.

All duplicate results were acceptable.

Field Duplicate

One set of field duplicates (J01XR3/J01XR4) was submitted for analysis. Field duplicates are compared using the same criteria as for laboratory duplicates. The RPD for potassium-40 was outside QC limits (62%). Under the BHI statement of work, no qualification is required. All other field duplicate results were acceptable.

Detection Levels

Reported analytical detection levels for undetected analytes are compared against the remaining waste sites RQLs to ensure that laboratory detection levels meet the required criteria. Ten analytes were reported above the RQL. Under the BHI statement of work, no qualification is required. All other reported results met the analyte specific RQL.

Completeness

Data package No. H2776 was submitted for validation and verified for completeness. Completeness is based on the percentage of data determined to be valid (i.e., not rejected). The completion percentage was 100%.

MAJOR DEFICIENCIES

None found.

MINOR DEFICIENCIES

Ten analytes were reported above the RQL. Under the BHI statement of work, no qualification is required.

REFERENCES

FHI, Contract #20266, Validation Statement of Work, Bechtel Hanford Incorporated, July 7, 2003.

BHI-01249, Rev. 3, Data Quality Objectives Summary Report for 100/300 Area Remaining Sites Analytical Sampling Effort, Bechtel Hanford Incorporated, March 2003.

Glossary of Data Reporting Qualifiers

Qualifiers which may be applied by data validators in compliance with the BHI statement of work are as follows:

- Indicates the compound or analyte was analyzed for and not detected above the minimum detectable activity (MDA) in the sample. The value reported is the sample result corrected for sample dilution and moisture content by the laboratory. The data is usable for decision making purposes.
- UJ Indicates the compound or analyte was analyzed for and not detected at concentrations above the minimum detectable activity (MDA) in the sample. Due to a minor QC deficiency identified during the data validation, the associated quantitation limit is an estimate, but is usable for decision making purposes.
- Indicates the compound or analyte was analyzed for and detected. Due to a minor QC deficiency identified during the data validation, the associated concentration is an estimate, but the data are usable for decision-making purposes.
- R Indicates the compound or analyte was analyzed for, detected, and due to an identified major QC deficiency, the data are unusable.
- UR Indicates the compound or analyte was analyzed for and not detected in the sample. Additionally, the data is unusable due to an identified major QC deficiency.

Summary of Data Qualification

RADIOCHEMISTRY DATA QUALIFICATION SUMMARY*

| SDG: H2776 | REVIEWER: TLI | DATE: 11/16/04 | PAGE 1 OF 1 |
|-------------------------|------------------|----------------|-------------|
| COMMENTS: No qualifiers | assigned | | |

^{* -} The Qualified Data Summary Table includes laboratory applied "U" qualifiers not specifically identified here. The laboratory applied "U" qualifiers are included to minimize misinterpretation of results contained in the table.

Qualified Data Summary and Annotated Laboratory Reports

| | | | | ** | | | | | |
|---|--------|--------------------|----|---------------------------------|----|----------|----|--------|-----|
| Project: BECHTEL-HA | ANFORD | | |] | | | | | |
| Laboratory: EB | | | | 1 | | | | • | |
| Case | SDG: | H2776 | | | | | | | |
| Sample Number Remarks Sample Date | | J01XR3 10/11/04 | | J01XR4 Duplicate 10/11/04 | | | | | |
| | | | | | | | | | · |
| | | | | | | | | | |
| Radiochemistry | RQL | Result | Q | Result | Q | Result | Q | Result | Q |
| Gross Alpha | | 8.84 | | 8.82 | | | | | T |
| Gross Beta | | 18.7 | | 18.1 | | | | | |
| Potassium-40 | | 7.78 | | 14.8 | | V | | | |
| Cobalt 60 | 0,05 | U | U* | U | Ų* | | | | |
| Cesium 137 | 0.05 | Ú | U* | U | U* | | | | |
| Radium-226 | | U | U | 0.572 | | - | | | Т |
| Radium-228 | | U | Ų | 0.748 | | | | | |
| Europium 152 | 0.1 | U | ∪* | U | U* | | | | |
| Europium 154 | 0.1 | U | ∪* | U | U* | | | | |
| Europium 166 | 0.1 | U | ∪* | U | U* | | | | |
| Thorlum-228 | | 0.872 | | 0.758 | | | 1 | | T.: |
| Thorlum-232 | | U | U_ | 0.748 | | <u> </u> | | | |
| Uranium-235(gea) | | U | S | U | U | | | | |
| Uranium-238(gea) | | · U | U | U | Ų | | L | | |
| Americium-241(gea) | | U | Ų | U | U | | | | |
| | 1 | | | | | | | | |
| | | | | | | | 1. | | |

EBERLINE SERVICES/RICHMOND SAMPLE DELIVERY GROUP H2776

R410078-01

DATA SHEET

J01XR3

| | 7128 Melissa C. Mannion | Client/Case no Contract | | SD | G H2776 |
|----------------|----------------------------|----------------------------|----------------|-----------------|----------|
| Contact | Merissa C. Mainifon | Concrace | NO. 630 | | |
| Lab sample id | R410078-01 | Client sample id | J01XR3 | | <u> </u> |
| Dept sample id | 7128-001 | Location/Matrix | 100-F-12 | | SOLID |
| Received | 10/13/04 | Collected/Weight | 10/11/04 10:35 | 1062 q | _ |
| % solids | 91.8 | Custody/SAF No | B03-015-261 I | 3 <u>03-015</u> | _ |

| ANALYTE | CAS NO | RESULT pCi/g | 2σ ERR (COUNT) | MDA pCi/g | RDL pCi/g | QUALI- FIERS | TEST |
|---------------|------------|-----------------|-------------------|--------------|--------------|-----------------|-------|
| Gross Alpha | 12587-46-1 | 8.84 | 4.0 | 3.3 | 10 | | 93A |
| Gross Beta | 12587-47-2 | 18.7 | 4.4 | 5.5 | 15 | | 93B |
| Potassium 40 | 13966-00-2 | 7.78 | 0.76 | 0.48 | | | ĠAM |
| Cobalt 60 | 10198-40-0 | U | ٠ | 0.070 | 0.050 | U | GAM |
| Cesium 137 | 10045-97-3 | ប | | 0.059 | 0.10 | υ | GAM |
| Radium 226 | 13982-63-3 | υ | | 0.13 | 0.10 | U | GAM |
| Radium 228 | 15262-20-1 | U | | 0.32 | 0.20 | U | GAM |
| Europium 152 | 14683-23-9 | U | 1.2 | 0.20 | 0.10 | U . | GAM |
| Europium 154 | 15585-10-1 | U | | 0.24 | 0.10 | U . | GAM |
| Europium 155 | 14391-16-3 | ប | | 0.11 | 0.10 | U | GAM |
| Thorium 228 | 14274-82-9 | 0.872 | 0.079 | 0.075 | | ** | GAM - |
| Thorium 232 | TH-232 | υ | * | 0.32 | | Ū | GAM |
| Uranium 235 | 15117-96-1 | υ | | 0.19 | • | U | GAM |
| Uranium 238 | U-238 | υ | | 7.8 | | U | GAM |
| Americium 241 | 14596-10-2 | U . | | 0.072 | | U | GAM |

Remaining Sites Conf. Sampling-Soil

Mulos

DATA SHEETS
Page 1
SUMMARY DATA SECTION
Page 10

Lab id EBRLNE
Protocol Hanford
Version Ver 1.0
Form DVD-DS
Version 3.06
Report date 11/01/04

EBERLINE SERVICES/RICHMOND SAMPLE DELIVERY GROUP H2776

R410078-02

DATA SHEET

J01XR4

| | 7128 Melissa C. Mannion | Client/Case no Contract | | SDG_H2776 |
|----------------|----------------------------|-------------------------------------|--------|--------------|
| Lab sample id | R410078-02 | Client sample id | J01XR4 | |
| Dept sample id | 7128-002 10/13/04 | Location/Matrix Collected/Weight | | SOLID |
| % solids | | Custody/SAF No | | 27 q -015 |

| ANALYTE | CAS NO | RESULT pCi/g | 2σ ERR (COUNT) | MDA pCi/g | RDL pCi/g | QUALI- FIERS | TEST |
|---------------|------------|-----------------|---|--------------|--------------|-----------------|------|
| Gross Alpha | 12587-46-1 | 8.82 | 3.9 | 3.6 | 10 | | 93A |
| Gross Beta | 12587-47-2 | 18.1 | 4.6 | 6.0 | 15 | | 93B |
| Potassium 40 | 13966-00-2 | 14.8 | 1.1 | 0.52 | | à. | GAM |
| Cobalt 60 | 10198-40-0 | u | | 0.054 | 0.050 | U | GAM |
| Cesium 137 | 10045-97-3 | U | | 0.051 | 0.10 | U | GAM |
| Radium 226 | 13982-63-3 | 0.572 | 0.10 | 0.10 | 0.10 | | GAM |
| Radium 228 | 15262-20-1 | 0.748 | 0.19 | 0.21 | 0.20 | | GAM |
| Europium 152 | 14683-23-9 | u u | | 0.12 | 0.10 | ប | GAM |
| Europium 154 | 15585-10-1 | Ū | e de la companya de | 0.18_ | 0.10 | Ū | GAM |
| Europium 155 | 14391-16-3 | Ū | | 0.13 | 0.10 | U | GAM |
| Thorium 228 | 14274-82-9 | 0.758 | 0.058 | 0.056 | | | GAM |
| Thorium 232 | TH-232 | 0.748 | 0.19 | 0.21 | | | GAM |
| Uranium 235 | 15117-96-1 | υ | | 0.18 | <u> </u> | Ū | GAM |
| Uranium 238 | U-238 | υ | | 6.7 | | U | GAM |
| Americium 241 | 14596-10-2 | U | | 0.18 | | U | GAM |

Remaining Sites Conf. Sampling-Soil

1/11/04

DATA SHEETS
Page 2
SUMMARY DATA SECTION
Page 11

Lab id EBRLNE
Protocol Hanford
Version Ver 1.0
Form DVD-DS
Version 3.06
Report date 11/01/04

Laboratory Narrative and Chain-of-Custody Documentation

Case Narrative

Page 1 of 1

1.0 GENERAL

Bechtel Hanford Inc. (BHI) Sample Delivery Group H2776 was composed of two soil samples designated under SAF No. B03-015 with a Project Designation of: Remaining Sites Confirmation Sampling – Soil.

The samples were received as stated on the Chain-of-Custody document. Any discrepancies are noted on the Eberline Services Sample Receipt Checklist. The results were transmitted to BHI via e-mail on November 2, 2004. The electronic data deliverable (EDD) was transmitted to BHI via e-mail on November 3, 2004.

2.0 ANALYSIS NOTES

2.1 Gross Alpha and Gross Beta Analyses

No problems were encountered during the course of the analyses.

2.2 Gamma Spectroscopy Analyses

No problems were encountered during the course of the analyses.

Case Narrative Certification Statement

"I certify that this data package is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data obtained in this hard copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature."

For Melissa C. Mannion Senior Program Manager 11/3/4 Date

| Bechtel Hanfor | d Inc. | CH | IAIN OF CUST | ODY/SA | AMPLE | ANALY | YSIS R | EQUEST | | B03-015-261 Page 1 | | | of <u>l</u> |
|---|---------------|---|---|---|---|--|---|---|--|---|---|--|--|
| Collector Stankovich/Rivera | | Compa | Company Contact Telephone No. M Stankovich 531-7620 | | | | P: | Project Coordinator KESSNER, JH | | | | Data Tur | |
| roject Designation Remaining Sites Confirmation | Sampling-Soil | | ng Location F-12 | 12776 | (712 | 8/ | | AF No. 03-015 | Ai | r Quality | | 15 Da | rays xy_s |
| ce Chest No. AFS | 04 058 | Field L | ogbook No. 578-3 | | COA C10F12670 |)0 00 | М | ethod of Shin Fed Ex | ment | | CKR | 10 /11/ | 704 |
| Shinned To EBERLINE SERVICES (For | | Offsite | Property No. A | 050 | 003 |) | n | ill of Lading/ | Air Bill No. | 588 | 057 | C | |
| POSSIBLE SAMPLE HAZAI | | ara assissa and ∓angapean a ar | Preservation | | | | | | | N/40 F1/6 % | | in thread in this virt share with a | Table 1 |
| Cussial Handling and/ou S | touana | | Type of Container | G/P | G/P | G/P | aG | G | | | | 1 | |
| Special Handling and/or S Cool 4c | iorage | | No. of Container(s) | 1 | 1 | 1 | 1 | 1 | | | | | |
| © | | | Volume | 1000mL | 250mL | 120mL | 250 hL | 60mL | | | | | |
| 000015 | SAMPLE ANAI | .YSIS | | See item (1) in Special Instructions. | See item (2) in Special Instructions. | Chromium Hex - 7196 | CBs - 808; Penticidae 8081; Chlor Harbicidae EPARISI | (TCL) | | | | | |
| Sample No. | Matrix * | Sample Date | Sample Time | | | VV. | 10/11/01 | | | | | | |
| J01XR3 | SOIL | 10/11/04 | 1035 | X | \times 7 | X | X | | | | | | |
| J01XR4 | SOIL | 10/11/04 | 1035 | X | */ | <u> </u> | X | | | | | | |
| J01XR5 | SOIL | 10/11/04 | 1030 | <u> </u> | /× | | × | | : | ļ · | | | |
| | | | | | <u> </u> | | | | | | | | |
| CHAIN OF POSSESSIO | N | Sign/Prin | t Names | | SPEC | CIAL INSTI | L RUCTION | is | İ | <u> </u> | <u> </u> | 1 | Matrix * |
| Relinguished By/Removed From | Date/Time | Received By/Sto 3726 Received By/Sto SJOHLE Received By/Sto FED Received By/Sto Received By/Sto | uf 2B 10/11 red in 10/11 red in 10/11 | Date/Time Oute/Time Post Of Date/Time Date/Time | Euro Niek Tech (2) 1 Cadn | pium-1551;-Ga cl-63, Isotopie netium-99; Iso CP Metals - 60 nium, Calcium, | nuna Spectruma Plutonium topic Urantu HOTR (SWE Chromium, | List) [Cesium-I Add-on [Americ Plutonium-238, f In (Oranium-233 46) [Aluminum, Cobalt, Copper, licon, Silver, Sod | ium 2411: Am lutonium 239/ (234, Uranium Antimony, An Iron, Lead, Mi | orisium 241, (240); Strontiu 235, Uranium senic, Barium, synesium, Mar | Gross Alpha & m. 80,00 To: 2381 A. Beryllium, Borganese, Molyl | Gross Beta; al Sr;- /O/ZO4/ ron, adenum, | S=Soil SE=Sediment SO=Solid SI=Sindge W = Water O=Oil A=Air DS=Dram Soli Di.**Dram Liqu T=Tissue Wi=Wipc |
| Relinquished By/Removed From | Date/Time | Received Ay/Sto | Dar 10/ | /3/s P Date/Time | re | rsonnel not i | ples from . | 3728 | | | | | L=Liquid V=Vegetation X=Other |
| Relinquished By/Removed From | Date/Time | Received By/Sto | red In I | Date/Time | Re | f# <u>ZB</u> on <u>f</u> | 0/12/ | <u>94</u> | | | | | |
| LABORATORY Received B SECTION | ** | | | Ті | tle | | | | | | 1 | Date/Time | <u> </u> |
| FINAL SAMPLE Disposal M | ethod | | | | | Dien | osed By | · · · · · · · · · · · · · · · · · · · | *** | | | Date/Time | |

Appendix 5

Data Validation Supporting Documentation

APPENDIX A

RADIOCHEMICAL DATA VALIDATION CHECKLIST

| VALIDATION LEVEL: | Α | В | (c) | D | E |
|--|-------------------|---------------------------------------|---------------------------------------|---------------------------------------|------------|
| PROJECT: R | LUS 10 | 0-F-12 | DATA PACKAG | E: HZ" | 74 |
| VALIDATOR: | TLT | LAB: E13 | | | 2/04 |
| | | | · · · · · · · · · · · · · · · · · · · | H2774 | |
| Gross Alpha/Beta | Strontium-90 | ANALYSES Technetium-99 | · · · · · · · · · · · · · · · · · · · | Gamma Spectroscopy | 75 |
| Total Uranium | Radium-22 | Tritium | | | |
| SAMPLES/MAT | RIX | | | | |
| . Joi | <u> </u> | GIXRY | | | |
| LEVEL: A B C D E | | | | | |
| DATA PACKAGE: H Z 774 | | | | | |
| | | · · · · · · · · · · · · · · · · · · · | · | | |
| | | | | <u> </u> | 904 |
| 1. Completenes | is | | | | 🗆 N/A |
| Technical verifi | cation forms pre | esent? | | | Yes No N/A |
| Comments: | | | | | |
| | · | | | | |
| | | | | | |
| | · · | | | | |
| · . | | | | · · · · · · · · · · · · · · · · · · · | |
| 2. Initial Calibr | ation (Levels D, | , E) | | | N/A |
| Instruments/dete | ectors calibrated | ? | ••••• | •••••••••••• | Yes No N/A |
| Initial calibratio | n acceptable? | ••••• | | • | Yes No N/A |
| and the second s | | | | | |
| Standards Expir | ed? | •••••••••••• | | | |
| Calculation chec | ck acceptable? | • | | | Yes No N/A |
| Comments: | | | | | |
| | | | | | |
| | | | | | |
| · · · · · · · · · · · · · · · · · · · | | | | · · · | |
| | | | | · · | • |

| 3. Continuing Calibration (Levels D, E) | È | N/A |
|---|------|---------------------------------------|
| Calibration checked within required frequency? | s No | N/A |
| Calibration check acceptable? | | |
| Calibration check standards traceable?Ye | | |
| Calibration check standards expired? | | |
| Calculation check acceptable?Ye | s No | N/A |
| Comments: | | · · · · · · · · · · · · · · · · · · · |
| | | |
| | | |
| | | |
| 4. Background Counts (Levels D, E) | A | N/A |
| Background Counts checked within required frequency?Yes | | |
| Background Counts acceptable?Yes | No. | N/A |
| Calculation check acceptable?Yes | No | N/A |
| Comments: | | |
| | | |
| | | |
| | | |

| 5. Blanks (Levels B, C, D, E) | □ N/A |
|--|---------------|
| Method blank analyzed within required frequency? | |
| Method blank results acceptable? | |
| Analytes detected in method blank? | Yes No N/A |
| Field blank(s) analyzed? | \/ |
| Field blank results acceptable? | |
| Analytes detected in field blank(s)? | |
| Transcription/Calculation Errors? (Levels D, E) | |
| Comments: | |
| | |
| | |
| | |
| | |
| | |
| 6. Laboratory Control Samples or Blank Spike Samples (Levels C | , D, E) 🗆 N/A |
| LCS /BSS analyzed within required frequency? | Yes No N/A |
| LCS/BSS recoveries acceptable? | V V |
| LCS/BSS traceable? (Levels D,E) | Yes No (N/A) |
| LCS/BSS expired? (Levels D,E) | Yes No N/A |
| LCS/BSS levels correct? (Levels D,E) | Yes No N/A |
| Transcription/Calculation Errors? (Levels D, E) | |
| Comments: | |
| | |
| | |
| | |
| | |
| | |
| 7. Chemical Carrier Recovery (Levels C, D, E) | N/A |
| Chemical carrier added? | Yes No N/A |
| Chemical recovery acceptable? | Yes No N/A |
| Chemical carrier traceable? (Levels D, E) | Yes No N/A |

| Chemical carrier expired? (Levels D, E) | Yes No N/A |
|---|------------|
| Transcription/Calculation errors? (Levels D, E) | Yes No N/A |
| Comments: | |
| | |
| | |
| | |
| | |
| | |
| 8. Tracer Recovery (Levels C, D, E) | N/A |
| Tracer added? | Yes No N/A |
| Tracer recovery acceptable? | Yes No N/A |
| Tracer traceable? (Levels D, E) | Yes No N/A |
| Tracer expired? (Levels D, E) | Yes No N/A |
| Transcription/Calculation errors? (Levels D, E) | Yes No N/A |
| Comments: | |
| | |
| | |
| | |
| | |
| | J |
| 9. Matrix Spikes (Levels C, D, E) | |
| Matrix spike analyzed? | Yes No N/A |
| Spike recoveries acceptable? | Yes No N/A |
| Spike source traceable? (Levels D, E) | Yes No N/A |
| Spike source expired? Levels D, E) | Yes No N/A |
| Transcription/Calculation Errors? (Levels D, E) | |
| Comments: | |
| | |
| | |
| | |
| | |

| 10. Duplicates (Levels C, D, E) | □ N/A |
|---|---------------------------------------|
| Duplicates Analyzed at required frequency? | Yes No N/A |
| RPD Values Acceptable? | Yeş No N/A |
| Transcription/Calculation Errors? (Levels D, E) | \ / |
| Comments: | |
| | |
| | |
| | |
| | |
| | |
| 11. Field QC Samples (Levels C, D E) | □ N/A |
| Field duplicate sample(s) analyzed? | |
| Field duplicate RPD values acceptable? | · · · · · · · · · · · · · · · · · · · |
| Field split sample(s) analyzed? | |
| Field split RPD values acceptable? | Yes No N/A |
| Performance audit sample(s) analyzed? | Yes No N/A |
| | |
| Performance audit sample results acceptable? | |
| Comments: No Pa | } |
| Potes - 40 07% | <u> </u> |
| Vojes - CIO () 2 /6 | |
| | · . |
| | |
| 12. Holding Times (All levels) | |
| 12. Holding Times (An levels) | |
| Are sample holding times acceptable? | Yes No N/A |
| Comments: | |
| | |
| | |
| | |
| | • |

| 13. Results and Detection Limits | (All Levels) | | ********* | · · · · · · · · · · · · · · · · · · · | | ,,,,,,,,,,,, | 🗖 N/A |
|-------------------------------------|-----------------|-------|---|---|-----------|--------------|---------------------------------------|
| Results reported for all required s | ample analyses? | ••••• | ********** | | ***** | (Yes | No N/A |
| Results supported in raw data?(Le | evels D, E) | • | ••••• | •••••• | | Yes | No WA |
| Results Acceptable? (Levels D, E | <i>)</i> | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | ********* | Yes | No(N)A |
| Transcription/Calculation errors? | (Levels D, E) | | | ••••••• | •••••• | | No NA |
| MDA's meet required detection li | mits? | | , | | ••••••• | Yes/ | No N/A |
| Transcription/calculation errors? | (Levels D, E) | | | • | ********* | | |
| Comments: 0 on | ~~ | · | · · · · · · | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | · · · · · · · · · · · · · · · · · · · |

Appendix 6

Additional Documentation Requested by Client

EBERLINE SERVICES/RICHMOND

SAMPLE DELIVERY GROUP H2776

R410078-04

METHOD BLANK

Method Blank

| SDG | 7128 | Client/Case no | <u>Hanford</u> | SDG H2776 |
|----------------|--------------------|------------------|----------------|-----------|
| Contact | Melissa C. Mannion | Contract | No. 630 | |
| | | | | |
| Lab sample id | | Client sample id | | |
| Dept sample id | 7128-004 | Material/Matrix | | SOLID |
| | | SAF No | B03-015 | |

| ANALYTE | CAS NO | RESULT pCi/g | 2σ ERR (COUNT) | MDA pCi/g | RDL pCi/g | QUALI- FIERS | TEST |
|---------------|---------------------|-----------------|-------------------|--------------|--------------|-----------------|------|
| Gross Alpha | 12587-46-1 | -0.615 | 1.2 | 2.7 | 10 | U | 93A |
| Gross Beta | 12587-47-2 | 1.40 | 3.9 | 5.4 | 15 | U | 93B |
| Potassium 40 | 13966-00-2 | U | | 0.35 | | ប | GAM |
| Cobalt 60 | 10198-40-0 | υ | | 0.018 | 0.050 | Ü | GAM |
| Cesium 137 | 10045-97-3 | υ | ٠ | 0.019 | 0.10 | υ | GAM |
| Radium 226 | 13982-63 - 3 | U | | 0.035 | 0.10 | Ū · | GAM |
| Radium 228 | 15262-20-1 | U | | 0.084 | 0.20 | υ | GAM |
| Europium 152 | 14683-23-9 | σ | | 0.046 | 0.10 | Ū | GAM |
| Europium 154 | 15585-10-1 | Ū | • | 0.047 | 0.10 | U | GAM |
| Europium 155 | 14391-16-3 | ប | • | 0.058 | 0.10 | υ | GAM |
| Thorium 228 | 14274-82-9 | U | | 0.027 | | υ | GAM |
| Thorium 232 | TH-232 | U | | 0.084 | • | U | GAM |
| Uranium 235 | 15117-96-1 | σ | | 0.066 | | U | GAM |
| Uranium 238 | U-238 | U . | | 2.9 | | · υ | GAM |
| Americium 241 | 14596-10-2 | υ | | 0.15 | | U | GAM |

Remaining Sites Conf. Sampling-Soil

| OC-BLANK | #46200 |
|------------|--------|
| IX - KLANK | #49388 |

METHOD BLANKS
Page 1
SUMMARY DATA SECTION
Page 7

Lab id EBRLNE
Protocol Hanford
Version Ver 1.0
Form DVD-DS
Version 3.06
Report date 11/01/04

EBERLINE SERVICES/RICHMOND SAMPLE DELIVERY GROUP H2776

R410078-03

LAB CONTROL SAMPLE

Lab Control Sample

| ^ SDG <u>7128</u> | Client/Case no <u>Hanford</u> <u>SDG H2776</u> |
|-----------------------------------|--|
| Contact <u>Melissa C. Mannion</u> | Contract No. 630 |
| | |
| Lab sample id <u>R410078-03</u> | Client sample id <u>Lab Control Sample</u> |
| Dept sample id <u>7128-003</u> | Material/Matrix SOLID |
| | SAF No <u>B03-015</u> |

| ANALYTE | RESULT pCi/g | 2σ ERR (COUNT) | MDA pCī/g | RDL pCi/g | QUALI- FIERS | TEST | ADDED pCi/g | 2σ ERR pCi/g | REC % | 3σ LMTS (TOTAL) | PROTOCOL LIMITS |
|-------------|-----------------|-------------------|--------------|--------------|-----------------|-------|----------------|-----------------|----------|--------------------|--------------------|
| Gross Alpha | 214 | 16 | 2.8 | 10 | | 93A | 214 | 8.6 | 100 | 67-133 | 70-130 |
| Gross Beta | 222 | 11 | 5.4 | 15 | | - 93B | 214 | 8.6 | 104 | 75-125 | 70-130 |
| Cobalt 60 | 0.865 | 0.051 | 0.012 | 0.050 | ÷ | GAM | 0.889 | 0.036 | 97 | 76-124 | 80-120 |
| Cesium 137 | 0.913 | 0.048 | 0.027 | 0.10 | ٠ | GAM | 0.865 | 0.035 | 106 | 74-126 | 80-120 |

Remaining Sites Conf. Sampling-Soil

| ·•• · | |
|---------------|--|
| | |
| uion-m | |
| QC-LCS #49387 | |
| | |

LAB CONTROL SAMPLES
Page 1
SUMMARY DATA SECTION
Page 8

Lab id EBRLNE
Protocol Hanford

Version Ver 1.0
Form DVD-LCS
Version 3.06

Report date 11/01/04

EBERLINE SERVICES/RICHMOND SAMPLE DELIVERY GROUP H2776

R410078-05

DUPLICATE

J01XR3

| | Client/Case no <u>Hanford</u> SDG H2776 |
|---------------------------------|---|
| | Contract No. 630 |
| ORIGINAL | |
| Lab sample id <u>R410078-01</u> | Client sample id JO1XR3 |
| Dept sample id <u>7128-001</u> | Location/Matrix 100-F-12 SOLID |
| Received 10/13/04 | Collected/Weight 10/11/04 10:35 1062 g |
| % solids <u>91.8</u> | Custody/SAF No <u>B03-015-261</u> <u>B03-015</u> |
| | Lab sample id <u>R410078-01</u> Dept sample id <u>7128-001</u> Received <u>10/13/04</u> |

| ANALYTE | DUPLICATE pCi/g | 2σ ERR (COUNT) | MDA pCi/g | RDL pCi/g | QUALI- FIERS | TEST | ORIGINAL pCi/g | 2σ ERR (COUNT) | MDA pCi/g | QUALI- FIERS | RPD % | 3 <i>σ</i> τοτ | PROT LIMIT |
|---------------|--------------------|-------------------|--------------|--------------|-----------------|-------|-------------------|-------------------|--------------|-----------------|----------|-------------------|---------------|
| Gross Alpha | 9.06 | 3.8 | 2.9 | 10 | | 93A | 8.84 | 4.0 | 3.3 | | 2 | 102 | |
| Gross Beta | 19.0 | 4.5 | 5.8 | 15 | | 93B | 18.7 | 4.4 | 5.5 | | 2 | 59 | |
| Potassium 40 | 7.93 | 0.71 | 0.39 | | | GAM · | 7.78 | 0.76 | 0.48 | | 2 | 38 | |
| Cobalt 60 | U | | 0.061 | 0.050 | U | GAM | U | | 0.070 | ប | | | |
| Cesium 137 | U | | 0.058 | 0.10 | U | GAM | IJ | 100 | 0.059 | ប | | | |
| Radium 226 | U | | 0.13 | 0.10 | U | GAM | U | | 0.13 | U | - | | |
| Radium 228 | U | | 0.29 | 0.20 | U. | GAM | U | | 0.32 | U | <u>.</u> | | |
| Europium 152 | U | | 0.19 | 0.10 | U · | GAM | u · | | 0.20 | Ų | - | | • |
| Europium 154 | υ | | 0.22 | 0.10 | υ | GAM | U | | 0.24 | U - | - : | | |
| Europium 155 | U | | 0.11 | 0.10 | U | GAM | U | | 0.11 | Ü | - | | |
| Thorium 228 | 0.798 | 0.073 | 0.072 | | | GAM | 0.872 | 0.079 | 0.075 | | 9 | 37 | , |
| Thorium 232 | U | | 0.29 | | . U | GAM | U | | 0.32 | U | | | |
| Uranium 235 | U | | 0.18 | | U | GAM | U | | 0.19 | U | · _ | | |
| Uranium 238 | U | | 7.2 | | U | GAM | Ü 🕟 | 4 | 7.8 | u | | | |
| Americium 241 | ប | | 0.068 | | . 0 | GAM | ប | | 0.072 | U | _ | | |

Remaining Sites Conf. Sampling-Soil

| QC-DUP#1 | 49389 | | | |
|----------|-------|--|--|--|

DUPLICATES
Page 1
SUMMARY DATA SECTION
Page 9

Lab id EBRLNE
Protocol Hanford
Version Ver 1.0
Form DVD-DUP
Version 3.06
Report date 11/01/04